





SUMMARY

| 1. | Intr | oduction | 5 |
|------|------|-----------------------------------------------------------------|-----|
| 2. | Sco | ope of the Manual | 5 |
| 2.1 | File | Specification | 6 |
| 2.2 | Hov | v to Send Files | 7 |
| 2.3 | Fre | quency of File Delivery | 8 |
| 2.4 | App | olicability of Layouts | .11 |
| 2.5 | Mar | ndatory Delivery Schedule | .12 |
| 2.6 | Dat | a Storage at BSM | .15 |
| 2.7 | Dat | a Disposal | .15 |
| 2.8 | Res | sults Storage | .15 |
| 3. | Lay | outs and File Description | .17 |
| 3.1 | Ret | ail Liquidity Provider (RLP) | .17 |
| 3.1. | .1 | Activation of Educational Triggers | .17 |
| 3.1. | .2 | Submission of Educational Material | .18 |
| 3.1. | .3 | Minimum Margin Parameterization Trail | .19 |
| 3.1. | .4 | Opt-in and Opt-out | .20 |
| 3.1. | .5 | List of Clients adhering to the use of RLP | .22 |
| 3.2 | Sui | tability | .22 |
| 3.2. | .1 | Suitability Questionnaire Questions and Answers | .23 |
| 3.2. | .2 | Suitability Questionnaire Score | .24 |
| 3.2. | .3 | Suitability Questionnaire Profile | .24 |
| 3.2. | .4 | Client Investment Profile Base | .25 |
| 3.2. | .5 | Products Offered by Investment Profile | .26 |
| 3.2. | .6 | Risk term for non-compliant operations | .27 |
| 3.2. | .7 | Risk Term Content | .27 |
| 3.3 | Co | mpulsory Liquidation | .28 |
| 3.3. | .1 | Communications to clients | .28 |
| 3.3. | .2 | Blocking and Unblocking for the Client's Compulsory Liquidation | .29 |
| 3.3. | .3 | Guarantee Allocation | .31 |
| 3.3. | .4 | Position Control | .32 |
| 3.3. | .5 | Compulsory Liquidation | .33 |
| 3.3. | .6 | Compulsory Liquidation Parameterizations | .35 |





| 3.4 Anti-Money I | Laundering, Cor | mbating the | Financing | of Terrorism | and the |
|---------------------|------------------|-------------|------------|---------------|----------|
| Financing of the 36 | Proliferation of | Weapons o | f Mass Des | truction ("AN | IL/CFT") |
| 36 | | | | | |

| 3.4.1 | Alerts and Records of AML/CFT Alert Analysis Conclusions | .36 |
|------------------|---------------------------------------------------------------------|-----|
| 3.4.2 | Clients with changes in risk profiles | .37 |
| 3.5 Su | pervision of Operations and Orders | .38 |
| 3.5.1 Superv | Alerts and Record of Completed Analysis of Operations and Ord | |
| 3.6 Ma | nage Custody | .40 |
| 3.6.1 | Custody Transfer Request made by the Client | .41 |
| 3.7 Set | ttle Trade | .42 |
| 3.7.1 | Statement of clients' current account | .42 |
| 3.7.2 | Projected Balance According to Operations Performed | .43 |
| 3.7.3 | Trades and cost of broker note – Equities | .45 |
| 3.7.4 | Trades and cost of broker note – Derivatives | .47 |
| 3.8 Inv | estment Advisors (Al's) | .49 |
| 3.8.1 | Non-exclusive Investment Advisor | .49 |
| 3.8.2 | Clients Served by the Investment Advisors (Al's) | .50 |
| 3.9 Cli | ent Registration | .51 |
| 3.9.1 Qualifi | Client Registration Data, including indication of Related Persons a | |
| 3.9.2 | Attorney-in-fact | .56 |
| 3.9.3 | Controller | .57 |
| 3.9.4 | Administrator | .59 |
| 3.9.5 | Parent Company | .60 |
| 3.9.6 | Subsidiary | .61 |
| 3.9.7 | Affiliate | .62 |
| 3.9.8 | INR data | .63 |
| 3.9.9 | List of Related Persons | .65 |
| 3.9.10 | Risk Level for Registration Update | .66 |
| 3.9.11 | Authorized issuers | .66 |
| 3.10 | Margin Account | .67 |
| 3.10.1 | Joining to the Margin Account product | .67 |
| 3.10.2 | Clients who Operate Margin Accounts | .68 |





| | account | |
|---------------------------|-------------------------------------------------------------------|-----|
| 3.10.4 | Operations carried out through a Margin Account | .70 |
| 3.11 | Execute Orders | .71 |
| 3.11.1 | List of Account Codes by Category | .71 |
| 3.11.2 | Portfolios managed by the Participant | .72 |
| 3.11.3 | Inclusion, change and cancellation of orders trail | .73 |
| 3.11.4 | Order Summary Trail | .76 |
| 3.11.5 | Session Purpose | .78 |
| 3.11.6 Accour | Record of occurrence of operations recorded in the Operational Er | |
| 3.12 | Manage Risks | .79 |
| 3.12.1 | Pre-Operational Risk – Inclusion and Change of Limits | .79 |
| 3.12.2 | Post-Operational Risk – Inclusion and Change of Limits | .81 |
| 3.13 | Treasury/Current Account | .82 |
| 3.13.1 Client <i>I</i> | Inclusion and Maintenance of Financial Values Manually Entered in | |
| 3.14 | Information Security | .83 |
| 3.14.1 | Administrative Activities in Systems | .83 |
| 3.14.2 | Scope Systems User Lists | .84 |
| 3.14.3 | Trail of Records of Entry and Exit Access to Trading Platforms | .86 |
| 3.14.4 | List of Employees (Active, Terminated and Third Party) | .87 |
| 3.15 | Infrastructure Support | .89 |
| 3.15.1 | Voice Recording Inventory | .89 |
| 3.15.2 Messag | Records of Downtime of Order Recording Systems (Voice a | |
| 4. Co | ntacts at BSM | .91 |
| 5. Ap | pendix | .92 |



1. Introduction

The purpose of this Manual is to establish the standard in which the data files and trails requested by BSM must be delivered, aiming to streamline data extraction work by Participants and their contracted technology providers and simplify the technical analysis that is performed in relation to the data necessary to carry out BSM's supervision and inspection.

The improvements of this version of the manual are highlighted (in yellow).

2. Scope of the Manual

The layout manual is applicable to all Participants of the listed market, regardless of the access category. This means that the rules and standards established in this document must be followed by all institutions, without exceptions. This implies that all entities operating within the specified segment, whether as a Full Trading Participant, Trading Participant, Clearing Member, Settlement Participant, or Custody Agent, are required to adhere to the standards and guidelines set forth in the manual.

In the table below, there is a detailed overview of the applicable processes for each access category:

| | RLP (Retail Liquidity Provider) | Registration | Suitability | Orders | Settlement / Margin Account | Treasury/Current Account | Custody | Risk / Compulsory Settlement | Investment Advisor | Internal Controls | AML/CTF (Anti-Money Laundering/Counter-Terrorism Financing) | Operations and Offers Supervision | Professional Certification | Information Security | Infrastructure Support |
|----------------------------------|---------------------------------|--------------|-------------|--------|-----------------------------|--------------------------|---------|------------------------------|--------------------|-------------------|-------------------------------------------------------------------|--------------------------------------|----------------------------|----------------------|------------------------|
| Full Trading Participation (PNP) | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Trading Participation (PN) | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Clearing Member (MC) | | | | | • | | | • | | • | | | • | • | • |
| Exchange Clearing Member | | | | | | | | • | | | | | | • | |
| Settlement Participant (PL) | | • | | | • | | | • | | • | • | •* | | • | • |
| Custody Agent (AC) | | • | | | | | • | | | • | • | | | • | • |

Applicable Process

^{*} Operations Supervision.



For a view of (i) the applicable process to the Participants by type of access to the organized markets administrated by B3 and (ii) of all tests to be concluded by layouts see **Appendix I** and **Appendix II**, respectively.

2.1 File Specification

The databases and audit trails defined in the layouts in section 3 of this document must follow the following specifications for delivery:

- File format: Apache Parquet¹, .TXT with delimiter "|" or .CSV with delimiter ";", text qualifier in quotation marks ("") and header in the first line (ANSI or UTF-8 encoding);
- File name: Unquestionably, the names (in uppercase letters) must adhere to the formatting described in the respective sections of the layouts to be submitted, specifically in the File field.
- Line terminator configuration: Windows standard (CRLF);
- Field with multiple data: Insert a new line for each occurrence within the multiple field², replicate the content without changes to other columns and change only the field in question;
- Fields not applicable: Leave the non-applicable field blank;
- Form of delivery: Electronic;
- Channel for transferring files: BSM Portal (in the folder corresponding to the previous month – for example: in February, carry out the upload in the January folder);
- Maximum file size: 2GB per file. If the file to be forwarded is larger than the
 maximum allowed capacity, it will be necessary to split it into more than one
 to upload it within the required parameters required (with the following
 nomenclature e.g.: file 1 and file 2);

¹ The Parquet file is a columnar storage format designed for efficiently storing and processing large volumes of data. Unlike conventional file formats that store data by rows, Parquet organizes data by columns. This means that each column is stored separately, allowing for selective reading of the relevant columns for a specific query.

² Example: For cases in which the client has more than one asset as allocated guarantee, insert one row per asset, repeating the client's other data in the other fields.



- The systems provided by B3 (e.g.: Sincad, CSD, ePuma, Line, among others)
 are out of the scope, since BSM has direct access to the data due to the
 organized markets administrated by B3;
- The content of the file headers is free and can be adapted as needed by the Participant. However, it is essential that (i) the file contains all fields in the order defined in the document; and (ii) the minimum formatting parameters are respected to ensure consistency and the correct interpretation of the data;
- Certain fields in the layouts are designated as mandatory, meaning they must be filled out without fail. However, there may be situations where the information required for a mandatory field is not available or does not apply to the context of the file being generated. For these cases, we request that the mandatory field be filled with the hyphen character ("-") as a placeholder;
- Files without content must be submitted blank, with only the header included;
 and
- The Participant is responsible for validating the integrity of the file regarding minimum fields, format and content, before making it available to BSM.

Layouts developed before the implementation date can be forwarded to the BSM team for formatting tests. This procedure is an opportunity to ensure that everything is in accordance with the requirements and that possible adjustments are identified and made in advance. To facilitate the process and ensure the efficiency of the tests, we ask that the Participant who opts for early submission send an email to bsm@bsmsupervisao.com.br with the subject "Monitoramento de Dados – Teste de Layout", requesting the creation of the test item in the Portal for file upload. We remind you that early submission is not mandatory, but highly recommended to ensure a smooth transition on the official delivery date.

2.2 How to Send Files

The databases and audit trails defined in the layouts in section 3 must be available through the BSM Portal³ within the requested item of the reference month (for

³ Exceptions (other ways of accessing/sending files) must be addressed with BSM to assess the process applicability.





example: in February, upload in the January folder) up to the tenth (10th) business day of the subsequent month.

Further information about the BSM Portal can be accessed at the following links:

| File | Path | | |
|---------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|--|--|
| BSM Portal | https://www.bsmsupervisao.com.br/Noticias/portal-BSM | | |
| BSM Access Regulation | https://www.bsmsupervisao.com.br/assets/file/REGULAMENTO-DE-ACESSO-BSM.pdf | | |
| New system for sending and receiving data from BSM Supervisão de Mercados | https://www.bsmsupervisao.com.br/assets/file/leis-normas- regras/Comunicado Externo BSM 14 2022 Portal BSM.pdf | | |
| User Manual – BSM Portal | https://www.bsmsupervisao.com.br/assets/file/BSM manual-do-usuario-portal.pdf | | |

2.3 Frequency of File Delivery

The databases and audit trails defined in the layouts in section 3 must be made available according to the frequency defined in the table below:

| Process | Database or Audit Trail | Files | Frequency (b) | Obligation (a) |
|------------------------------------|------------------------------------------------|------------------------------|------------------|----------------------|
| | Activation of educational triggers | ACIONAMENTOGE | Monthly | Since June 2023 |
| | Submission of educational material | ENVIOMTE | Monthly | Since June 2023 |
| Retail Liquidity Provider (RLP) | Minimum margin parameterization trail | MARGEM | Monthly | Since July 2023 |
| | Opt-in and Opt-out | OPTIN_OPTOUT | Quarterly | Since August 2023 |
| | List of clients adhering to the use of the RLP | BASEOPTIN | Quarterly | As of November 2023 |
| | Suitability Quiz Questions and Answers | QUESTIONARIO_S UITABILITY | Quarterly | As of November 2024 |
| | Suitability questionnaire score | PONTUACAO_SUIT ABILITY | Quarterly | As of November 2024 |
| Suitability | Suitability questionnaire profiles. | PERFIL_SUITABILI TY | Quarterly | As of November 2024 |
| | Client Investment Profile Base | TRILHA_SUITABILI TY | Quarterly | As of November 2024 |
| | Products Offered by Investment Profile | PRODUCTSSU | Quarterly | As of November 2024 |



| Process | Database or Audit Trail | Files | Frequency (b) | Obligation (a) |
|------------------------------------------------------------------------|----------------------------------------------------------------|------------------------------------------|------------------|-----------------------|
| | Risk term for non-compliant operations | DESENQUAD | On demand | As of November 2024 |
| | Risk Term Content | TERMORISC | On demand | As of November 2024 |
| | Client communications | LCALERTAS | On demand | As of August 2024 |
| | Prior blocking and unblocking after compulsory settlement | LCBLOQUEIO | On demand | As of August 2024 |
| Compulsory | Guarantee Allocation | LCALOCGARANTIA S | On demand | As of August 2024 |
| Liquidation | Position control | LCCONTROLE | On demand | As of August 2024 |
| | Compulsory Liquidation | LCZERAGEM | Bimonthly | As of August 2024 |
| | Compulsory settlement parameters | PARAMETROLIQ | On demand | As of August 2024 |
| Anti-Money Laundering, Combating the Financing of Terrorism and the | Record of alert analysis conclusions (PLD/FTP) | REGISTRO_ALERT ASPLD | Bimonthly | As of May 2024 |
| Financing of the Proliferation of Weapons of Mass Destruction | Clients with changes in risk profiles | ALTPERFIL | Bimonthly | As of May 2024 |
| Supervision of Operations and Orders | Record of alert analysis conclusions (SOO) | REGISTRO_ALERT ASSOO | Bimonthly | As of September 2024 |
| Manage Custody of Assets and Positions | Custody Transfer Request made by the Client | TRANSFCUST | Bimonthly | As of September 2024 |
| | Statement of clients' current account | GAB800 or EXTRATOCC | Quarterly | As of January 2025 |
| | Projected client balance according to the operations performed | GAB807 or EXTRATOSP | Quarterly | As of January 2025 |
| Settle Trade | Trades and costs of the broker note - Equities. | GAB107 (For Sinacor) or EXTRATOCCB | On demand | As of January 2025 |
| | Trades and costs of the broker note - Derivatives. | GAB119 (For Sinacor) or EXTRATOCCF | On demand | As of January 2025 |
| Investment Advisor (Al's) | Non-exclusive Investment Advisor | AINAOEXC | Monthly | As of April 2024 |



| Process | Database or Audit Trail | Files | Frequency (b) | Obligation (a) | |
|----------------|-------------------------------------------------------------------------------------------------------------------------------|------------------------|------------------|-----------------------|--|
| | Clients served by the Investment Advisor | AICLI | On demand | As of April 2024 | |
| | Client registration data, including indication of related persons and qualified investors or market professionals | DADCAD | Quarterly | As of July 2024 | |
| | Attorney-in-fact | PROCURADOR | Quarterly | As of July 2024 | |
| | Controller | DADOSCONTROLA DOR | Quarterly | As of July 2024 | |
| | Administrator | ADMINISTRADOR | Quarterly | As of July 2024 | |
| Customer base | Parent company | CONTROLADORA | Quarterly | As of July 2024 | |
| | Subsidiary | ENTIDADECONTR OLADA | Quarterly | As of July 2024 | |
| | Affiliate | COLIGADA | Quarterly | As of July 2024 | |
| | INR data | DADOSINR | Quarterly | As of July 2024 | |
| | Relation of related person | PEVINC | Monthly | As of April 2024 | |
| | Risk Level for Registration Update | MAXICAD | Quarterly | As of July 2024 | |
| | Authorized issuers | EMISSORAUT | Quarterly | As of July 2024 | |
| | Joining to the Margin Account product | CMADESAO | Quarterly | As of January 2025 | |
| | Clients operating Margin Account | CMOPER | Quarterly | As of January 2025 | |
| Margin Account | List of financing and guarantees for clients who operated on the margin account | CMFINGAR | Quarterly | As of January 2025 | |
| | Operations carried out through a Margin Account | CTAMARGEM | Quarterly | As of January 2025 | |
| | List of category codes by account | EOCODCONT | On demand | As of October 2024 | |
| | Portfolios managed by the Participant | CICARTGER | On demand | As of October 2024 | |
| Execute Orders | Inclusion, change and cancellation of orders trail | ORDENS | On demand | As of January 2025 | |
| | Order Summary Trail | RESUORD | Quarterly | As of January 2025 | |
| | Session Purpose | FINASESSION | Quarterly | As of January 2025 | |



| Process | Database or Audit Trail | Files | Frequency (b) | Obligation (a) |
|-----------------------------|-------------------------------------------------------------------------------------|--------------------------|------------------|-----------------------|
| | Record of occurrence of operations launched in the Error Account | | On demand | As of October 2024 |
| Manage Risks | Pre-Operational Risk – Inclusion and change of limits | RISCOPRE | On demand | As of September 2024 |
| Manage Nisks | Post-Operational Risk – Inclusion and change of limits | RISCOPOS | Quarterly | As of October 2024 |
| Treasury/Current Account | Inclusion and maintenance of financial values manually entered into client accounts | LANCMANC | On demand | As of September 2024 |
| | Administrative activities in systems | ADMINSIST | On demand | As of October 2024 |
| | Scope systems user lists | USUARIOS | Quarterly | As of April 2024 |
| Information Security | Trail of records of entry and exit access to trading platforms | ENTRADAESAIDA | On demand | As of October 2024 |
| | List of employees (active, terminated and third parties) | COLABORADORES | Quarterly | As of April 2024 |
| Infrastructure | Voice recording inventory / Extension list by issuer | INVENTARIOVOZ / RAMAL | On demand | As of December 2024 |
| Support | Records of Unavailability of Order Recording Systems (Voice and Messaging) | INCIDENTES_CAN AL | On demand | As of December 2024 |

⁽a) The Layout submission to BSM is mandatory by the 10th business day of the month defined in the table.

The Participant must meet the dates, standards and format of deliveries, as defined by BSM. Requests for extension of deadlines must be substantiated by the Participant, containing new dates and rationale for BSM's reassessment.

For a better overview of the layouts delivery schedule, see **Appendix III**.

2.4 Applicability of Layouts

The Participant must send an e-mail to the address bsm@supervisao.com.br, up to 30 days before submitting the layout, with the title "Monitoramento de Dados –

⁽b) Files defined as "on demand" must be implemented by Participants according to the date mentioned in the table above.





Aplicabilidade dos Processos", informing which layouts are not applicable or subject to monitoring by BSM, with their respective justifications.

2.5 Mandatory Delivery Schedule

| Obligation | Process | Database or Audit Trail | Files |
|---------------------------|------------------------------------|-------------------------------------------------------------------------------------------------------------------|---------------------|
| Since June | Retail Liquidity Provider (RLP) | Activation of educational triggers | ACIONAMENTOGE |
| 2023 | Retail Liquidity Provider (RLP) | Submission of educational material | ENVIOMTE |
| Since July 2023 | Retail Liquidity Provider (RLP) | Minimum margin parameterization trail | MARGEM |
| Since August 2023 | Retail Liquidity Provider (RLP) | Opt-in and Opt-out | OPTIN_OPTOUT |
| As of November 2023 | Retail Liquidity Provider (RLP) | List of clients adhering to the use of the RLP | BASEOPTIN |
| | Investment Advisor (Al's) | Non-exclusive Investment Advisor | AINAOEXC |
| As of April | Investment Advisor (Al's) | Clients served by the Investment Advisor | AICLI |
| 2024 | Customer base | Relation of related person | PEVINC |
| | Information Security | Scope systems user lists | USUARIOS |
| | Information Security | List of employees (active, terminated and third parties) | COLABORADORES |
| As of May | PLD | Record of alert analysis conclusions | REGISTRO_ALERTASPLD |
| 2024 | PLD | Clients with changes in risk profiles | ALTPERFIL |
| | Customer base | Client registration data, including indication of related persons and qualified investors or market professionals | DADCAD |
| | Customer base | Attorney-in-fact | PROCURADOR |
| As of July 2024 | Customer base | Controller | DADOSCONTROLADOR |
| 2024 | Customer base | Administrator | ADMINISTRADOR |
| | Customer base | Parent company | CONTROLADORA |
| | Customer base | Subsidiary | ENTIDADECONTROLADA |
| | Customer base | Affiliate | COLIGADA |



| Obligation | Process | Database or Audit Trail | Files |
|-------------------|-------------------------------------------|-------------------------------------------------------------------------------------------|--------------------------|
| | Customer base | INR data | DADOSINR |
| | Customer base | Risk Level for Registration Update | MAXICAD |
| | Customer base | Authorized issuers | EMISSORAUT |
| | Compulsory Liquidation | Client communications | LCALERTAS |
| | Compulsory Liquidation | Prior blocking and unblocking after compulsory settlement | LCBLOQUEIO |
| As of August | Compulsory Liquidation | Guarantee Allocation | LCALOCGARANTIAS |
| 2024 | Compulsory Liquidation | Position control | LCCONTROLE |
| | Compulsory Liquidation | Compulsory Liquidation | LCZERAGEM |
| | Compulsory Liquidation | Compulsory settlement parameters | PARAMETROLIQ |
| | Manage Custody of Assets and Positions | Custody Transfer Request made by the Client | TRANSFCUST |
| As of | Risk Management | Pre-Operational Risk – Inclusion and alteration of limits | RISCOPRE |
| September 2024 | Treasury/Current Account | Inclusion and maintenance of financial values manually entered into client accounts | LANCMANC |
| | S00 | Record of alert analysis conclusions | REGISTRO_ALERTASSOO |
| | Execute Orders | List of category codes by account | EOCODCONT |
| | Execute Orders | Portfolios managed by the Participant | CICARTGER |
| | Execute Orders | Session Purpose | FINASESSION |
| As of October | Execute Orders | Record of occurrence of operations launched in the Error Account | LANCERRO |
| 2024 | Manage Risks | Post-Operational Risk – Inclusion and Change of Limits (Institutional clients only) | RISCOPOS |
| | Information Security | Administrative activities in systems | ADMINSIST |
| | Information Security | Trail of records of entry and exit access to trading platforms | ENTRADAESAIDA |
| As of November | Suitability | Suitability Quiz Questions and Answers | QUESTIONARIO_SUITABILITY |
| 2024 | Suitability | Suitability questionnaire score | PONTUACAO_SUITABILITY |



| Obligation | Process | Database or Audit Trail | Files |
|------------------|---------------------------|---------------------------------------------------------------------------------------|---------------------------------------|
| | Suitability | Suitability Questionnaire Profile | PERFIL_SUITABILITY |
| | Suitability | Client Investment Profile Base | TRILHA_SUITABILITY |
| | Suitability | Products Offered by Investment Profile | PRODUCTSSU |
| | Suitability | Risk term for non-compliant operations | DESENQUAD |
| | Suitability | Risk Term Content | TERMORISC |
| As of | Infrastructure Support | Voice recording inventory / Extension list by issuer | INVENTARIOVOZ/RAMAL |
| December 2024 | Infrastructure Support | Records of Unavailability of Order Recording Systems (Voice and Messaging) | INCIDENTES_CANAL |
| | Settle Trade | Statement of clients' current account | GAB800 or EXTRATOCC |
| | Settle Trade | Projected client balance according to the operations performed | GAB807 or EXTRATOSP |
| | Settle Trade | Trades and costs of the broker note - Equities. | GAB107 (For Sinacor) or EXTRATOCCB |
| | Settle Trade | Trades and costs of the broker note - Derivatives. | GAB119 (For Sinacor) or EXTRATOCCF |
| As of January | Margin Account | Joining to the Margin Account product | CMADESAO |
| 2025 | Margin Account | Clients operating Margin Account | CMOPER |
| | Margin Account | List of financing and guarantees for clients who operated on the margin account | CMFINGAR |
| | Margin Account | Operations carried out through a Margin Account | CTAMARGEM |
| | Execute Orders | Inclusion, change and cancellation of orders trail | ORDENS |
| | Execute Orders | Session Objective | FINASESSAO |
| | Execute Orders | Order Summary Trail | RESUORD |

For a better view of the delivery chronogram in 2024 see Appendix III.



2.6 Data Storage at BSM

The data will not be stored in BSM and will be discarded after the information generation work. The Participant is responsible for storing the data according to current regulations.

2.7 Data Disposal

Data disposal is the process of fully destroying information, thus making any type of recovery impossible. In other words, after the disposal process, the data is considered irretrievable by anyone who subsequently has access to the file or environment where the information was stored.

Thus, data disposal is different from file deletion, where a file deleted from a device may be inaccessible to the end user, but the information remains, in some form, on the device's hard drive.

BSM follows the guidelines on the disposal of information generated or transmitted in its environments and systems, regardless of the storage medium, taking as parameters the B3 standards, current legislation, other regulations related to the topic and best management and information security practices.

2.8 Results Storage

The results of tests performed by BSM, through Data Monitoring, and their storage are the responsibility of the Participant. Thus, it is necessary that the Participant adjust the reported nonconformities and revisit the internal processes and controls to improve the effectiveness of the results as the nonconformities are reported.

The observation's percentage obtained from the Data Monitoring results will be properly stored by BSM and utilized in subsequent regular audits.

Additionally, its informed that, for those Participants submitted to regular audit, the most recent submission of layouts will be stored by BSM. This action aims to complement the exclusive tests of the regular audit. This measure has been adopted to streamline the process, avoiding the need for a new request to the Participant and minimize potential rework. After the issuance of the report, the data will be expunged.





3. Layouts and File Description

3.1 Retail Liquidity Provider (RLP)

3.1.1 Activation of Educational Triggers

<u>File description</u>: Records of the activation of alert triggers for financial results indicators for submitting educational material

<u>Objective</u>: Monitoring whether educational material was sent for each trigger activation

File: ACIONAMENTOGE

Frequency: Monthly

Scope: First to last day of the previous month

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------|-----------------------------------|---------------|---------------------------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digits | Yes |
| 2 | Nome Sistema | Identification of the system used | Text | - | No |
| 3 | ID | Trigger event identification | Text | See Table 1 (*) | Yes |
| 4 | Data | Trigger activation date | Date | yyyy-mm-dd | Yes |
| 5 | Hora | Trigger activation time | Time (BRT) | hh:mm:ss or hh:mm:ss,sss | No |
| 6 | Usuário | Trigger activation User | Text | - | Yes |
| 7 | Código do cliente | Client code at B3 | Text | Plain text, without check digits and without punctuations (".", "–" or ","). | Yes |

| Table 1 – Format and description of triggers | | | | |
|-------------------------------------------------------|------------------------------------------------------|--|--|--|
| Trigger ID (*) Trigger Description | | | | |
| A After the first day trade carried out by the client | | | | |
| В | After the first daily loss of more than R\$ 1,000.00 | | | |



| Table 1 – Format and description of triggers | | | | |
|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|--|--|--|
| Trigger ID (*) Trigger Description | | | | |
| С | The first time the client suffers losses of 10% of its assets | | | |
| D The first time the client suffers losses of 25% of its assets | | | | |
| E At the moment the first compulsory settlement is carried out by the Participan the client | | | | |
| F | At the moment the fifth compulsory settlement is carried out by the Participant on behalf of the client. | | | |

3.1.2 Submission of Educational Material

<u>File description:</u> Records of submission of educational materials to clients through trigger activation

Objective: Monitoring whether educational material was sent for each trigger

activation

File name: ENVIOMTE

Frequency: Monthly

Scope: First to last day of the previous month

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------|-----------------------------------------|---------------|----------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digits | Yes |
| 2 | ID | Trigger event identification | Text | See Table 1 below (*) | Yes |
| 3 | Descrição | Description of the activated trigger | Text | See Table 1 below (*) | Yes |
| 4 | Data | Date of release of educational material | Date | yyyy-mm-dd | Yes |
| 5 | Hora | Time of release of educational material | Time (BRT) | hh:mm:ss or hh:mm:ss,sss | Yes |
| 6 | Usuário | User who sent the educational material | Text | - | Yes |
| 7 | Código do cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "-" or ",") | Yes |



| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|---------|----------------------------------------------------------------------------------------|------|----------------------------------------------------------|------------|
| 8 | Canal | Channel for sending educational material (E.g.: Email, popup, etc.) | Text | Options: "E- mail", "Pop-up" or "Outros" | Yes |
| 9 | Origem | Sender of the educational material submitted. (e.g.: broker@domain.com.br, etc.) | Text | Options: "o e- mail de origem" or "Outros" | Yes |
| 10 | Destino | Recipient of the educational material submitted. (e.g.: client@domain.com.br, etc.) | Text | Options: "o e- mail de destino" or "Outros" (*) | Yes |

^(*) Communicate multiple client emails on different rows, if applicable.

| Table 1 – Format and description of triggers | | | | |
|----------------------------------------------|---------------------------------------------------------------------------------------------------------|--|--|--|
| Trigger ID (*) | Trigger Description | | | |
| Α | After the first day trade carried out by the client | | | |
| В | After the first daily loss of more than R\$ 1,000.00 | | | |
| С | The first time the client suffers losses of 10% of its assets | | | |
| D | The first time the client suffers losses of 25% of its assets | | | |
| E | At the moment the first compulsory settlement is carried out by the Participant on behalf of the client | | | |
| F | At the moment the fifth compulsory settlement is carried out by the Participant on behalf of the client | | | |

3.1.3 Minimum Margin Parameterization Trail

<u>File description</u>: Records of the minimum margin parameterization to be required by Index mini-contract (WIN) and Dollar mini-contract (WDO)

<u>Objective</u>: Monitoring the value of the minimum margin parameter of Index minicontract (WIN) and Dollar mini-contract (WDO) assets

<u>File name</u>: MARGEM <u>Frequency</u>: Monthly

Scope: First to the last day of the previous month.



| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|--------------------------|------------------------------------------------------------------------------------------------------------|---------------|--------------------------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digits | Yes |
| 2 | Nome Sistema | Identification of the system used to parameterize margins | Text | - | Yes |
| 3 | Data | Minimum margin setting date | Date | yyyy-mm-dd | Yes |
| 4 | Hora | Minimum margin setting time | Time (BRT) | hh:mm:ss or hh:mm:ss,sss | Yes |
| 5 | Usuário | User who configured the minimum margin | Text | - | Yes |
| 6 | Código do cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | No |
| 7 | Ativo | Description of the parameterized asset (Mini Ibovespa Futures (WIN) and Mini U.S. Dollar Futures (WDO)) | Text | - | Yes |
| 8 | ldValor/Qua ntidade | Description of the margin parameterization. | Text | Options: "Valor" or "Quantidade" | Yes |
| 9 | Valor/Quanti dade (*) | Parameterized value or quantity for contract negotiation. (E.g.: 100.00 for WIN – 150.00 for WDO) | Number | With 2 decimal places separated by "," and without the currency identifier (R\$, \$, etc.) | Yes |

^(*) For systems that have parameterization by number of contracts, it is expected that the number of contracts parameterized for WIN and WDO will be recorded in the field.

3.1.4 Opt-in and Opt-out

<u>File description</u>: Record of the client's express opt-in to use the RLP as well as for it opt-out, both for the derivative market and the stock market.

<u>Objective</u>: Monitoring whether there were client transactions with the RLP product before their opt-in and whether there were transactions with the RLP product after their opt-out

File name: OPTIN_OPTOUT

Frequency: Quarterly



Scope: Covering the basis of the previous 3 months

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------|-------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------|-------------|
| 1 | Código Participante | Participant Code | Number | Without check digits | Yes |
| 2 | Nome Sistema | Identification of the system used to register opt-in and opt-out | Text | - | Yes |
| 3 | Código do cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 4 | AccountId | Identification of the client's user in the Participant's system. | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 5 | EventType | Type of event, RLP order opt-in or opt-out | Text | "in" or "out" | Yes |
| 6 | OptType [1] | Tegment type derivatives , equities or both | Text | "derivatives", "equities" or "all" (*) | See Table 2 |
| 7 | EventTime | Timestamp of the moment the client signed up or discontinued the RLP order | Date (BRT) | yyyy-mm-dd hh:mm:ss | Yes |
| 8 | ProcessTime | Timestamp of the time the client request was processed in the Participant's OMS | Date (BRT) | yyyy-mm-dd hh:mm:ss | See Table 2 |
| 9 | EventOrderl d [3] | Identification of the person responsible for joining or discontinuing the RLP order | Text | Inform the user | See Table 2 |

^(*) In case of ALL, the field can also be forwarded blank

| Table 2 – Applicability of fields | | | | | |
|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|
| Ref: | Details | | | | |
| [1] | Mandatory item only in the event of opt-in and opt-out specific to each segment. Non-mandatory item if the Participant uses generic opt-in and opt-out, that is, that they serve both the Derivatives and Equities segments. | | | | |
| [2] | If opt-in or opt-out are subsequently processed in the Participant's order management system, either through a daily routine or manually, for example, the base must include field 6 ("ProcessTime") containing the timestamp where the client request was processed internally. If opt-in and opt-out processing is carried out at the same time that the client subscribed or discontinued the RLP offer (real time), fill in the field with the same information as <i>EventTime</i> . | | | | |



| | Table 2 – Applicability of fields | | | | | |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|
| Ref: | Details | | | | | |
| [3] | If the Participant has alternative flows through service channels (e.g. chat, telephone, email) to carry out the opt-in or opt-out, the base must include field 7 ("EventOrderld") containing the person responsible for adhesion or discontinuation on behalf of the client. | | | | | |

3.1.5 List of Clients adhering to the use of RLP

<u>File description</u>: List of clients on the base date of "D-1", who granted their authorization to use the RLP (opt-in). Example: For the quarter from November to January, extract the list of customers in the position of October 31

<u>Objective</u>: (i) Check for possible false positives in the analysis carried out for cases in which the client granted authorization to use the RLP (opt-in) in the period prior to the evaluated quarter; and (ii) alignment of the investment profile with the traded product.

File name: BASEOPTIN

Frequency: Quarterly

Scope: Photo on the base date of "D-1" at the beginning of the evaluated quarter

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------|------------------------------------------------------------------|--------|-------------------------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digits | Yes |
| 2 | Nome Sistema | Identification of the system used to register opt-in and opt-out | Text | - | Yes |
| 3 | Código do cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 4 | AccountId | Identification of the client's user in the Participant's system | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |

3.2 Suitability



3.2.1 Suitability Questionnaire Questions and Answers

<u>File description</u>: Record of questions and respective answers from the Suitability questionnaire

Objective: Monitoring the allocation of the investment profile according to the questionnaire defined by the Participant

File name: QUESTIONARIO_SUITABILITY

Frequency: Quarterly

Scope: List covering the basis of the previous 3 months

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------|------------------------------------------------------------------------------------------|--------|-------------------------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digits | Yes |
| 2 | Nome Sistema | Identification of the system used to fill out the form | Text | - | No |
| 3 | Forma Análise | Detail the analysis methot for CPF/CNPJ or Client Code | Number | CPF/CNPJ = "0" or Client Code = "1" | Yes |
| 4 | Código Cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes (*) |
| 5 | CPF/CNPJ | Client's CNPJ; CPF | Text | Plain text without ".", "-" or "," | Yes (*) |
| 6 | Versão do questionário | Version of the questionnaire answered by the Client | Text | - | No (**) |
| 7 | ID_Pergunta | Question identification | Text | See layout 3.2.2 | Yes (***) |
| 8 | ID_Resposta | Identification of the option selected by those who filled out the form | Text | See layout 3.2.2 | Yes (***) |
| 9 | Pontuação | Score/Weight of the answer | Number | | Yes |
| 10 | Perfil | Profile Name assigned to the client | Text | - | Yes |
| 11 | Usuário | User responsible for filling out the questionnaire (client or Participant internal user) | Text | - | Yes |
| 12 | Data | Date of completion of the questionnaire | Date | yyyy-mm-dd | Yes |



| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|-------|-----------------------------------|---------------|-----------------------------|------------|
| 13 | Hora | Time of questionnaire filling out | Time (BRT) | hh:mm:ss or hh:mm:ss,sss | Yes |

^(*) Mandatory only if the Participant has, during the evaluated period, more than one version of the questionnaire.

3.2.2 Suitability Questionnaire Score

File description: Score of answers to the Suitability questionnaire

Objective: Monitoring the allocation of the investment profile according to the

questionnaire defined by the Participant

File name: PONTUACAO SUITABILITY

Frequency: Quarterly

Scope: Photo on the base date "D-1" at the end of the evaluated quarter

| Ref: | Field Description | | Туре | Mandatory? |
|------|---------------------------|-------------------------------------------------------------|--------|------------|
| 1 | ID_Pergunta | Question identification | Text | Yes |
| 2 | Pergunta | ta Question to the client | | Yes |
| 3 | ID_Resposta | Identification of the answer option selected by the client. | Text | Yes |
| 4 | Opção_Resposta | Answer options for each question. | Text | Yes |
| 5 | Pontuação | Score/Weight of the answer (*) | Number | Yes |
| 6 | Versão do questionário | Questionnaire version | Text | Yes |

Observation: Forward the data from this table on the same dates as the table above. (*) at field Pontuação it is mandatory the calculation of weight x score of the question.

3.2.3 Suitability Questionnaire Profile

File description: Suitability questionnaire profiles

<u>Objective</u>: Monitoring the allocation of the investment profile according to the questionnaire defined by the Participant

File name: PERFIL SUITABILITY

Frequency: Quarterly

Scope: Photo on the base date "D-1" at the end of the evaluated quarter

BSM Supervisão de Mercados +55 11 2565-6200 Rua Líbero Badaró, 471, 1º, 2º e 3º andares Centro, CEP 01009-903 São Paulo (SP)

^(**) Fill in only if the Participant has, during the evaluated period, more than one version of the questionnaire.

(***) The fields ID_PERGUNTA and ID_RESPOSTA must adhere to the standard established in layout 3.2.2.



| Ref: | Field | Description | Туре | Mandatory? |
|------|------------------------|-------------------------------|--------|------------|
| 1 | Pontuação mínima | Minimum score for the profile | Number | Yes |
| 2 | Pontuação máxima | Maximum score for the profile | Number | Yes |
| 3 | Perfil | Profile Name (*) | Text | Yes |
| 4 | Versão do questionário | Questionnaire version | Text | Yes |

^(*) Sort from the most conservative profile to the most aggressive (i.e. the most conservative profile on the first line and the most aggressive on the last line)

3.2.4 Client Investment Profile Base

<u>File description</u>: All client investment profile records (in the listed market) considering the answers to the Suitability questionnaire

Objective: (i) Monitoring the investment profile assigned to clients; and (ii) adjustment of the investment profile to the Participants that offers the RLP to clients.

File name: TRILHA_SUITABILITY

Frequency: Quarterly

Scope: Photo on the base date "D-1" at the end of the evaluated quarter

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------|--------------------------------------------------------------------------------|---------------|----------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digits | Yes |
| 2 | Nome Sistema | Name of the system used to register the investment profile | Text | - | No |
| 3 | Data | Date of completion of the questionnaire | Date | yyyy-mm-dd | Yes |
| 4 | Hora | Time of questionnaire filling out | Time (BRT) | hh:mm:ss or hh:mm:ss,sss | Yes |
| 5 | Código Cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 6 | Perfil | Client investment profile | Text | - | Yes |
| 7 | Usuário | User who inserted or changed the profile (client or Participant internal user) | Text | - | Yes |



3.2.5 Products Offered by Investment Profile

File description: List of products offered for each type of investment profile

<u>Objective</u>: Monitoring products offered to clients outside the investment profile; and (ii) adjustment of the investment profile to the Participants that offers the RLP to clients.

File name: PRODUTOSSU

Frequency: Quarterly

Scope: Photo on the base date "D-1" at the end of the evaluated quarter

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|-----------------------|-----------------------------------------------|--------|--------------------------------|------------|
| 1 | Perfil Suitability | Enter the type of profile | Text | - | Yes |
| 2 | Produtos | Products available for the investment profile | Text | See 'Products Table' (*) (***) | Yes |
| 3 | Percentual | Percentage of products by Profile | Number | - | Yes (**) |

^(*) If the profile has access to more than one product, fill in one (1) product per row in the available file and replicate the content without changing it to other columns and only change the field in question.

^(***) Insert one row for each product

| | Products Table – Products offered by B3 | | |
|----|-----------------------------------------|--|--|
| ID | Product | | |
| AV | Spot Market (stocks) | | |
| FD | Funds | | |
| ET | ETF | | |
| TR | Term | | |
| ос | BOV Call Options | | |
| ОР | BOV Put Options | | |
| ОВ | BMF Options | | |
| FT | Futures | | |
| ОТ | Others | | |

^(**) Applicable only to Participants who define the percentage of product per profile.



3.2.6 Risk term for non-compliant operations

File description: Risk term accepted by the client for non-compliant operations

Objective: Monitoring of communications to clients regarding profile non-compliance

File name: DESENQUAD

Frequency: On demand

Scope: On demand

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|----------------------------|------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Nome da ferramenta | Tool name | Text | - | No |
| 3 | Data | Date on which the client accepted the risk term for the non-compliant transaction. | Date | yyyy-mm-dd | Yes |
| 4 | Hora | Time at which the client accepted the risk term for the non-compliant transaction. | Time (BRT) | hh:mm:ss or hh:mm:ss,sss | Yes |
| 5 | Código do cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 6 | AccountId | Identification of the client's user in the Participant's system | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 7 | Ativo desenquadra do | Noncompliant asset code | Text | - | Yes |
| 8 | Código do termo | Risk Term Code | Text | (*) | Yes |

^(*) The field must be filled with the same code as field 1 of the TERMORISC layout

3.2.7 Risk Term Content

<u>File description</u>: Risk term made available to the client in non-compliant operations



<u>Purpose:</u> Monitoring communications to clients regarding non-compliance with the profile

File name: TERMORISC

Frequency: On demand

Scope: On demand

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|----------------------|-------------------|------|--------|------------|
| 1 | Código do termo | Risk Term Code | Text | - | Yes |
| 2 | Conteúdo do termo | Risk Term Content | Text | - | Yes |

3.3 Compulsory Liquidation

3.3.1 Communications to clients

<u>File description</u>: Communications made to clients, prior to and after the compulsory liquidation procedure

<u>Objective:</u> Send communication on the deterioration of guarantees before and after the compulsory liquidation procedure

File name: LCALERTAS

Frequency: On demand

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|-------------------------|------------------------------------------------------------------|--------|-------------------------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Nome Sistema | Identification of the system used to communicate with the client | Text | - | No |
| 3 | Código do cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 4 | Forma de Transmissão | Alert transmission method | Text | Options: "Email", " Pop- up", "SMS" or "Outros". | Yes |



| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|--------------------|-------------------------------------------------------------------------------------------|------------|--------------|------------|
| 5 | Mensagem | Alert text sent to the client or template code used (to be validated during audits) | Text | - | Yes |
| 6 | Data L1 | L1 Date Alert | Date | yyyy-mm-dd | Yes |
| 7 | Hora L1 | L1 Time Alert | Time (BRT) | hh:mm:ss;sss | Yes |
| 8 | Data L2 | L2 Date Alert | Text | yyyy-mm-dd | No |
| 9 | Hora L2 | L2 Time Alert | Time (BRT) | hh:mm:ss;sss | No |
| 10 | Data LC | LC Date Alert | Date | yyyy-mm-dd | No |
| 11 | Hora LC | LC Time Alert | Time (BRT) | hh:mm:ss;sss | No |
| 12 | Data Liquidação | Date on which the compulsory liquidation was executed | Date | yyyy-mm-dd | No |
| 13 | Hora Liquidação | Time on which the compulsory liquidation was executed | Time (BRT) | hh:mm:ss;sss | No |

| Table - Alerts | | |
|----------------|------------------------|--|
| Code Alert | | |
| L1 | Limit 1 | |
| L2 | Limit 2 | |
| LC | Compulsory Liquidation | |

If the Participant uses a website/portal to communicate the deterioration of guarantees before and after the compulsory settlement procedure, we request that the layout be filled out as follows:

| Ref: | Field | Format | |
|---------------------|-------------------------|---------------------------------------------------------------------------------------------------------------|--|
| 1 | Código Participante | Insert the participant's code. | |
| 2 | Nome Sistema | Insert the name of the system used to communicate with the client | |
| 3 Código do cliente | | Leave as 99999 to avoid validation issues | |
| 4 | Data | Date of the website/portal monitoring | |
| 5 | Hora | Time of the website/portal monitoring (if monitoring is every 5 minutes, provide a line for every 5 minutes). | |
| 6 | Alerta | Leave as 99999 to avoid validation issues | |
| 7 | Forma de Transmissão | Fill in as "Outros - Portal/Site". | |
| 8 | Mensagem | Fill in as "Portal/Site - Disponível" or "Portal/Site - Indisponível". | |

3.3.2 Blocking and Unblocking for the Client's Compulsory Liquidation



<u>File description</u>: Data on trading blocking carried out for clients in the process of compulsory liquidation and subsequent unblocking

<u>Objective:</u> Monitoring the trading blocking prior to the compulsory liquidation procedure and subsequent client unblocking

File name: LCBLOQUEIO

Frequency: On demand

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------------------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Nome Sistema | Description of the tool the client was blocked from | Text | - | No |
| 3 | Código do cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "-" or ",") | Yes |
| 4 | Data Bloqueio | Client trading block date prior to the start of the compulsory liquidation procedure by the Participant | Date | yyyy-mm-dd | Yes |
| 5 | Hora Bloqueio | Client trading block time prior to the start of the compulsory liquidation procedure by the Participant | Time (BRT) | hh:mm:ss,sss | Yes |
| 6 | Data Desbloqueio | Date of unblocking client trading by the Participant after the compulsory settlement procedure and recomposition of guarantees and limits by the client | Date | yyyy-mm-dd | Yes |
| 7 | Hora Desbloqueio | Unblocking time (BRT) for client trading by the Participant after the compulsory settlement procedure and recomposition of guarantees and limits by the client | Time (BRT) | hh:mm:ss,sss | Yes |
| 8 | Data Liquidação | Date on which compulsory liquidation was performed | Date | yyyy-mm-dd | Yes |
| 9 | Hora Liquidação | Time at which compulsory liquidation was performed | Time (BRT) | hh:mm:ss,sss | Yes |
| 10 | ID da ordem | Zeroing order ID | Text | - | Yes |





3.3.3 Guarantee Allocation

File description: Data on guarantees allocated by clients to carry out operations

Objective: Monitoring of the records of the clients guarantee allocation.

File name: LCALOCGARANTIAS

Frequency: On demand

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Nome Sistema | Name of the system used to manage guarantees | Text | - | No |
| 3 | Código do cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 4 | Data | Date of allocation of guarantees for carrying out operations by the client | Date | yyyy-mm-dd | Yes |
| 5 | Hora | Time of allocation of guarantees for carrying out operations by the client | Time (BRT) | hh:mm:ss,sss | Yes |
| 6 | Garantia Alocada | Value of guarantees or limit allocated for carrying out operations by the client. Note: If the allocation is carried out in values per asset, the trail must demonstrate the total defined value in this field, and the description of the assets allocated as collateral in the "Allocated Assets" field. If the allocation is carried out in terms of number of assets, the trail must demonstrate the defined number of assets for each of them in this field (E.g.: 1 WDO contract, 2 WIN contracts) | Number | With 2 decimal places separated by "," | Yes |
| 7 | Ativos Alocados | Description of the assets allocated in guarantee by the Participant for the execution of operations by the client | Text | Enter each client asset on a separate row. | Yes |



| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|---------|--------------------------------------------------------------------------------------------|------|--------|------------|
| 8 | Usuário | User who carried out the guarantee allocation (client or internal user of the Participant) | Text | - | Yes |

3.3.4 Position Control

<u>File description</u>: Data on the controls carried out by the Participant to open, close, reduce or increase positions by clients

<u>Objective:</u> Monitoring required guarantee X guarantee allocated at the time of opening the position

File name: LCCONTROLE

Frequency: On demand

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------|------------------------------------------------------------------------------------------|---------------|----------------------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Nome Sistema | Description of the risk tool responsible for validating the position opening or increase | Text | - | No |
| 3 | Código do cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 4 | Data | Date on which the order is sent by the client | Date | yyyy-mm-dd | Yes |
| 5 | Hora | Time the order was sent by the client | Time (BRT) | hh:mm:ss,sss | Yes |
| 6 | Validade | Validity period of the Order | Date | yyyy-mm-dd | Yes |
| 7 | ID da ordem | ID of the order that consumed the guarantee (OrderID) (*) | Text | - | Yes |
| 8 | Ativo | Trading code of the asset subject to the order | Text | - | Yes |
| 9 | Quantidade | Number of assets in the order | Number | With 2 decimal places separated by "," | Yes |



| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|----------------------------|------------------------------------------------------------------------------------------------------------------------------------|--------|----------------------------------------|------------|
| 10 | Preço | Order price | Number | With 2 decimal places separated by "," | Yes |
| 11 | Natureza | Type of order | Text | Options: "Buy" or "Sell" | Yes |
| 12 | Limite Pré- Operacional | Pre-operational limit of the client when sending the order to open or increase the position | Number | With 2 decimal places separated by "," | Yes |
| 13 | Margens Depositadas | Margin values deposited by the client | Number | With 2 decimal places separated by "," | Yes |
| 14 | Garantias Exigidas | Guarantee required from the client to open or increase the position (E.g. Minimum margins for futures contracts) | Number | With 2 decimal places separated by "," | Yes |
| 15 | Valor | Amount of guarantee consumed (margin deposited – guarantee required) | Number | With 2 decimal places separated by "," | Yes |
| 16 | Validação da ordem | Message indicating approval or rejection of the client order, if the client does not have a sufficient guarantee limit | Text | "Aprovação" or "Rejeição" | Yes |
| 17 | Posição | Validate whether the order aims to increase or reduce the position | Text | "Yes or "No" | Yes |

^(*) Independently if the order was executed or not

3.3.5 Compulsory Liquidation

<u>File description</u>: Data on controls carried out by the Participant for compulsory liquidation of positions

<u>Objective:</u> Monitoring compulsory liquidation in accordance with the rules defined by the Participant

File name: LCZERAGEM

Frequency: Bimonthly

Scope: List covering the basis of the previous 2 months

Observations: The Participant that serves only institutional clients must have control over compulsory liquidation when they occur. The layout should be sent by the



Institution to BSM only if the event (compulsory liquidation) occurs, and the delivery of the layout should be made by the Institution in the month following the occurrence (example: Compulsory Liquidation carried out on 07/30. The compulsory settlement layout (LCZERAGEM) should be made available on the 10th business day of August).

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|--------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|----------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Nome Sistema | Name of the control system for compulsory liquidation | Text | - | No |
| 3 | Código do cliente Client code at B3 Text with do not cliente | | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes | |
| 4 | Data | Compulsory liquidation date | Date | hh:mm:ss,sss | Yes |
| 5 | Hora | Compulsory liquidation time | Time (BRT) | yyyy-mm-dd | Yes |
| 6 | Garantias Exigidas | Value of the guarantees required from the client, necessary for the maintenance of their position at the time of mandatory settlement | Number | With 2 decimal places separated by "," | Yes |
| 7 | Garantias Disponíveis | Value of the client's available guarantees at the time of compulsory liquidation | Number | With 2 decimal places separated by "," | Yes |
| 8 | Percentual de Perda / consumo | Percentage of loss considered by the Participant at the time they initiated the mandatory settlement of the client's position | Number (two decimal places) | - | Yes |
| 9 | ID da ordem | ID of the order that consumed the guarantee (OrderID) | Text | - | Yes |
| 10 | Percentual de zeragem | Percentage of zeroing defined in the Participant's policy for the activation of the zeroing robot | Number (two decimal places) | - | Yes |
| 11 | Sender location | Sender Location used in compulsory liquidation | Text | - | Yes |
| 12 | Usuário | User used for zeroing the position | Text | - | Yes |
| 13 | Sessão | Session used for zeroing the position | Text | - | Yes |

^(*) The changes in nomenclature, structure and/or filling of the fields proposed in this layout will be valid for deliveries made from January/2025. Deliveries to be made before January/2025 must follow the layout structure specified in version 2.1 of this manual.



3.3.6 Compulsory Liquidation Parameterizations

<u>File description</u>: Data on the criteria adopted by the Participant to carry out the compulsory liquidation of clients

<u>Objective:</u> Monitoring compliance of compulsory liquidation with the rules defined by the Participant (Risk Routine)

File name: PARAMETROLIQ

Frequency: On demand

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------|--------------------------------------------------------------------------------|--------------------------------------|-----------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Nome Sistema | Name of the control system for compulsory liquidation | Text | - | No |
| 3 | L1 | Percentage of guarantee consumption that triggers threshold 1 communication | Number (two decimal places) | - | Yes (*) |
| 4 | Data_L1 | Date of L1 parameterization | Date | hh:mm:ss or hh:mm:ss,sss | Yes (*) |
| 5 | Hora_L1 | Time of L1 parameterization | Time (BRT) | yyyy-mm-dd | Yes (*) |
| 6 | L2 | Percentage of guarantee consumption that triggers the communication of limit 2 | Number (two decimal places) | - | Yes (*) |
| 7 | Data_L2 | Date of L2 parameterization | Date | hh:mm:ss or hh:mm:ss,sss | Yes (*) |
| 8 | Hora_L2 | Time of L2 parameterization | Time (BRT) | yyyy-mm-dd | Yes (*) |
| 9 | Consumo | Percentage of guarantee consumption for client classification | Number (two decimal places) | - | Yes |
| 10 | Data_C | Date of Consumption parameterization | Date | hh:mm:ss or hh:mm:ss,sss | Yes |
| 11 | Hora_C | Time of Consumption parameterization | Time (BRT) | yyyy-mm-dd | Yes |

^(*) If the Participant uses a website/portal to communicate the guarantees' deterioration of both before and after the compulsory liquidation procedure, the field is not mandatory.



3.4 Anti-Money Laundering, Combating the Financing of Terrorism and the Financing of the Proliferation of Weapons of Mass Destruction ("AML/CFT")

3.4.1 Alerts and Records of AML/CFT Alert Analysis Conclusions

<u>File description:</u> All alerts generated, regardless of whether they were analyzed, in the period recording the conclusion of AML/CFT monitoring analyzes

<u>Objective</u>: (i) Monitoring analyzes generated and the deadline for analysis conclusions after the alert is triggered (AML/CFT); and (ii) Monitoring of communications of analyzes to COAF beyond 24 hours.

File name: REGISTRO ALERTASPLD

Frequency: Bimonthly

<u>Scope</u>: Base of 2 months, starting from 2 months prior to the request date, as per the example below:

| Scope of Submission | Base that should be sent to BSM |
|---------------------|-----------------------------------------------------|
| May, 2024 | Alerts generated in March, 2024 |
| July, 2024 | Alerts generated in March, 2024 and April, 2024* |
| September, 2024 | Alerts generated in May, 2024 and June, 2024 |
| November, 2024 | Alerts generated in July, 2024 and August, 2024 |

^(*) Due to the change in the scope of the files, in May 2024 the scope will be maintained according to the layout manual 2.0 and BSM will only evaluate the formatting of the files. Starting in July 2024, tests will be conducted to assess the timeline for the conclusions of the analyses.

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------|--------------------------------------------------------|--------|------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Nome Sistema | Name of the alert analysis recording system | Text | - | No |
| 3 | Data Acionamento | Alert triggering date | Date | yyyy-mm-dd | Yes |
| 4 | Forma análise | Detail the form of cpf/cnpj analysis or client code | Number | Cpf/cnpj = "0" or | Yes |



| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|---------------------------|---------------------------------------------------------------------------|--------|-------------------------------------------------------------------------------------------|-------------------------|
| | | | | Client Code = "1" | |
| 5 | Código Cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes (****) |
| 6 | CPF/CNPJ | CNPJ (EIN); Client CPF (SSN) | Text | Plain text without ".", "–" or "," | Yes (*) (****) |
| 7 | Código CVM/ID | CVM code/client ID (Non- Resident Investor with CVM) | Number | Plain text without ".", "–" or "," | Yes (*) (****) |
| 8 | Código 88 | Client code 88 (Non-Resident Investor - Other) | Number | Plain text without ".", "–" or "," | Yes (*) (****) |
| 9 | Nome | Client name | Text | - | No |
| 10 | Usuário | User responsible for recording alert analysis conclusions | Text | - | Yes |
| 11 | Parâmetro alertado | Alerted parameter | Text | - | Yes (****) |
| 12 | Inciso | Item alerted | Text | - | Yes |
| 13 | Análise realizada | Analysis of the alerted parameter/section | Text | - | Yes (**) |
| 14 | Conclusão da análise | Conclusion of the analysis of the alerted parameter/section | Text | - | Yes (**) |
| 15 | Providência | Result of the action taken by the Participant | Number | Filed = "0" or communicated to COAF = "1" | Yes (<mark>**</mark>) |
| 16 | Classificação de risco | Risk classification of the alert issued | Text | - | No |
| 17 | Data Registro | Analysis completion record date | Date | yyyy-mm-dd | Yes (**) |
| 18 | Data comunicação | Date of communication to COAF | Date | yyyy-mm-dd | Yes (***) |
| 19 | Campo livre | Free use field of the Participant for internal references (if necessary). | Text | - | No |

3.4.2 Clients with changes in risk profiles

^(*) Mandatory depending on the answer in column 4 (analysis form) - cpf/cnpj (SSN/EIN) or Client code.

(**) Mandatory only for alerts that have been analyzed and concluded.

(***) Mandatory only for analyzes that were reported to COAF.

(****) In cases where the alert was generated for more than one client, insert one row per client repeating the alert data.



File description: Complete list of clients and their respective risk profile changes.

Objective: Continuous monitoring of the Client's risk profile

<u>File name</u>: ALTPERFIL <u>Frequency</u>: Bimonthly

Scope: Photo on the base date of "D-1"

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|---------------------------|---------------------------------------------------------|--------|----------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Nome Sistema | Name of the risk profile system | Text | - | No |
| 3 | Código Cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 4 | CPF/CNPJ | CNPJ (EIN); Client CPF (SSN) | Text | Plain text without ".", "–" or "," | No |
| 5 | Código CVM/ID | CVM code/client ID (Non- Resident Investor with CVM) | Number | Plain text without ".", "–" or "," | No |
| 6 | Código 88 | Client code 88 (Non-Resident Investor - Other) | Number | Plain text without ".", "–" or "," | No |
| 7 | Classificação atual | Current Risk Classification | Text | - | Yes |
| 8 | Data atual | Date of current risk classification | Date | yyyy-mm-dd | Yes |
| 9 | Classificação anterior | Previous risk classification | Text | - | Yes |
| 10 | Data anterior | Date of previous Risk classification | Date | yyyy-mm-dd | Yes |

3.5 Supervision of Operations and Orders

3.5.1 Alerts and Record of Completed Analysis of Operations and Orders Supervision Alerts



<u>File description:</u> All alerts generated, regardless of whether they were analyzed, in the period recording the conclusion of Operations and Orders Supervision monitoring analyzes

<u>Objective</u>: Monitoring analysis generated and the deadline for analysis conclusions after the alert is triggered

File name: REGISTRO_ALERTASSOO

Frequency: Bimonthly

<u>Scope</u>: Base of 2 months, starting from 2 months prior to the request date, as per the example below:

| Period for sending the bases. | Base that should be forwarded to BSM. | | |
|-------------------------------|----------------------------------------------------------|--|--|
| September, 2024 | Alerts generated in July, 2024 and August, 2024 (*) | | |
| November, 2024 | Alerts generated in July, 2024 and August, 2024 | | |
| January, 2025 | Alerts generated in September, 2024 and October, 2024 | | |
| March, 2025 | Alerts generated in November, 2024 and December, 2024 | | |

(*) Due to the change in the scope of the files, in September 2024 the scope will be maintained according to the layout manual 2.0 and BSM will only evaluate the formatting of the files. Starting in November 2024, tests will be conducted to assess the timeline for the conclusions of the analyses.

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------|--------------------------------------------------------|--------|-------------------------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Nome Sistema | Name of the alert analysis recording system | Text | - | No |
| 3 | Data Acionamento | Alert triggering date | Date | yyyy-mm-dd | Yes |
| 4 | Forma análise | Detail the form of cpf/cnpj analysis or client code | Number | Cpf/cnpj = "0" or Client Code = "1" | Yes |
| 5 | Código Cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes (***) |



| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|--------------------------------------|---------------------------------------------------------------------------|--------|-------------------------------------------------|---------------|
| 6 | CPF/CNPJ | CNPJ (EIN); Client CPF (SSN) | Text | Plain text without ".", "–" or "," | Yes (*) (***) |
| 7 | Código CVM/ID | CVM code/client ID (Non- Resident Investor with CVM) | Number | Plain text without ".", "–" or "," | Yes (*) (***) |
| 8 | Código 88 | Client code 88 (Non-Resident Investor - Other) | Number | Plain text without ".", "–" or "," | Yes (*) (***) |
| 9 | Name | Client name | Text | • | No |
| 10 | Usuário | User responsible for recording alert analysis conclusions | Text | - | Yes |
| 11 | Parâmetro alertado | Alerted parameter | Text | - | Yes |
| 12 | Inciso | Item alerted | Text | • | Yes (****) |
| 13 | Análise realizada | Analysis of the alerted parameter/section | Text | - | Yes (**) |
| 14 | Conclusão da análise | Conclusion of the analysis of the alerted parameter/section | Text | - | Yes (**) |
| 15 | Classificação de risco | Risk classification of the alert issued | Text | - | No |
| 16 | Data Registro | Analysis completion record date | Date | yyyy-mm-dd | Yes (**) |
| 17 | Data comunicação administração | Date of communication to the Senior Administration | Date | yyyy-mm-dd | No |
| 18 | Data comunicação regulador | Date of communication to Regulatory bodies | Date | yyyy-mm-dd | No |
| 19 | Regulador comunicado | Notified Regulatory Body | Text | CVM = "0" BSM "1" or CVM and BSM = "2" | No |
| 20 | Campo livre | Free use field of the Participant for internal references (if necessary). | Text | - | No |

3.6 Manage Custody

^(*) Mandatory for the type of client (e.g.: Individual, CPF (SSN) field required)
(**) Mandatory only for alerts that have been analyzed and concluded.
(***) mandatory data depending on the answer in column 4 (analysis form) - cpf/cnpj (SSN/EIN) or Client code.
(****) In cases where the alert was generated for more than one client, insert one row per client repeating the alert data.



3.6.1 Custody Transfer Request made by the Client

<u>File description</u>: Data on securities custody transfer requests made by the client (same or different ownership)

Objective: Assess whether the transfers were conducted within the regulatory deadline.

File name: TRANSFCUST

Frequency: Bimonthly

Scope: List covering the basis of the previous 2 months

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|-----------------------------|------------------------------------------|---------------|-------------------------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code (Custodian) | Número | Without check digit | Yes |
| 2 | Nome Sistema | Custody transfer system name | Text | - | No |
| 3 | Data Solicitação | Custody transfer request date | Date | yyyy-mm-dd | Yes |
| 4 | Hora Solicitação | Custody transfer request time | Time (BRT) | hh:mm:ss or hh:mm:ss,sss | Yes |
| 5 | Usuário | User used to request custody transfer | Text | - | Yes |
| 6 | Código do cliente origem | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 7 | Código do cliente destino | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "-" or ",") | Yes |
| 8 | Participante destino | Destination participant code (custodian) | Number | Without ".", "—" or "," | Yes |
| 9 | Ativo | Asset requested for custody transfer | Text | (*) | Yes |
| 10 | Código ISIN | Instrument's ISIN Code | Text | Plain text, without check digit and without punctuations (".", "-" or ",") (*) | Yes |



| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------------------------|---------------------------------------------------------------------------------------------------|---------------|-----------------------------|-----------------------------------------------|
| 11 | Quantidade | Amount requested for custody transfer per asset | Number | (*) | Yes |
| 12 | Ocorrências | Options regarding the status of requests | Text | See "Status Table" | Yes |
| 13 | Data Ocorrência | Date of occurrence (status table) | Date | yyyy-mm-dd | Yes |
| 14 | Hora Ocorrência | Time of occurrence (status table) | Time (BRT) | hh:mm:ss or hh:mm:ss,sss | No |
| 15 | Motivo | Description of the reason in case of a rejected, canceled or pending request (client/Participant) | Text | - | Only if Status = "R", "C", "PP" or "PC" |
| 16 | ID da solicitação de transferência | Transfer request number/code | Number | - | Yes |
| 17 | Prazo | Estimated deadline for completing the process | Date | yyyy-mm-dd | Only if Status = "I" or "PP" |

^(*) Insert a new row for each occurrence within the multiple field, replicate the content without changes to other columns and change only the field in question;

| | Status Table – Format and description of statuses | | | | |
|-------------------------------|---------------------------------------------------|--|--|--|--|
| Information | Request status description | | | | |
| I | Inserted | | | | |
| R | Rejected | | | | |
| C Canceled by the Participant | | | | | |
| СС | Canceled by the client | | | | |
| PP | Participant Pending | | | | |
| PD | Participant Destination Pending | | | | |
| PC | Pending Client | | | | |
| PS | Issue resolved by the Client | | | | |
| со | Concluded | | | | |

3.7 Settle Trade

3.7.1 Statement of clients' current account



File Description: Statement of clients' current account

Objective: Monitoring of debt balances of clients

File name: GAB800 (For Sinacor) or EXTRATOCC (For other systems)

Frequency: Quarterly

Scope: List covering the basis of the previous 3 months

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|----------------------------|----------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Nome Sistema | System name to extract the current account statement | Text | - | No |
| 3 | Código do cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 4 | Nome do Cliente | Client Name | Text | - | Yes |
| 5 | Endereço | Address | Text | - | Yes |
| 6 | Endereço complemento | Complement | Text | - | No |
| 7 | Data Referência | Reference date | Date (BRT) | yyyy-mm-dd | Yes |
| 8 | Data Liquidação | Settlement date | Date (BRT) | yyyy-mm-dd | Yes |
| 9 | Descrição do Lançamento | Entry description | Text | - | Yes |
| 10 | Saldo Inicial | Opening balance for the month of the reference date | Number | With 2 decimal places separated by "," | Yes |
| 11 | Sinal saldo Inicial | D/C | Text | D/C | Yes |
| 12 | Valor Lançamento | Initial value of the entry for the month of the reference date | Number | With 2 decimal places separated by "," | Yes |
| 13 | Sinal valor Lançamento | D/C | Text | D/C | Yes |

3.7.2 Projected Balance According to Operations Performed



File Description: Projected client balance according to the operations performed

Objective: Monitoring of client balance

File: GAB807 (For Sinacor) or EXTRATOSP (For other systems)

Frequency: Quarterly

Scope: List covering the basis of the previous 3 months

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|--------------------------------|------------------------------------------------|------------|-------------------------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Nome Sistema | System name to extract projected balance | Text | - | No |
| 3 | Data Referência | File reference date | Date (BRL) | yyyy-mm-dd | Yes |
| 4 | Código Assessor | Advisor Code | Number | - | Yes |
| 5 | Código do cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 6 | Saldo Total | Total Client Balance | Number | With 2 decimal places separated by "," | Yes |
| 7 | Sinal do Total | D - Negative balance / C - positive balance | Text | D/C | Yes |
| 8 | Saldo Disponível | Client's available balance | Number | With 2 decimal places separated by "," | Yes |
| 9 | Sinal do Disponível | D - Negative balance / C - positive balance | Text | D/C | Yes |
| 10 | Saldo Total Projetado | Saldo total projetado do cliente | Number | With 2 decimal places separated by "," | Yes |
| 11 | Sinal do Total Projetado | D - Negative balance / C - positive balance | Text | D/C | Yes |
| 12 | Saldo Projetado D1 | D1 Client projected total balance | Number | With 2 decimal places | Yes |



| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|--------------------------|------------------------------------------------|--------|----------------------------------------|------------|
| | | | | separated by "," | |
| 13 | Sinal do Projetado D1 | D - Negative balance / C - positive balance | Text | D/C | Yes |
| 14 | Saldo do Projetado D2 | D2 Client projected total balance | Number | With 2 decimal places separated by "," | Yes |
| 15 | Sinal Projetado D2 | D - Negative balance / C - positive balance | Text | D/C | Yes |
| 16 | Saldo do Projetado D3 | D3 Client projected total balance | Number | With 2 decimal places separated by "," | Yes |
| 17 | Sinal do Projetado D3 | D - Negative balance / C - positive balance | Text | D/C | Yes |
| 18 | Saldo Projetado D4 | D4 Client projected total balance | Number | With 2 decimal places separated by "," | Yes |
| 19 | Sinal do Projetado D4 | D - Negative balance / C - positive balance | Text | D/C | Yes |
| 20 | Saldo Projetado D5 | D5 Client projected total balance | Number | With 2 decimal places separated by "," | Yes |
| 21 | Sinal do Projetado D5 | D - Negative balance / C - positive balance | Text | D/C | Yes |
| 22 | Saldo Projetado DN | DN Client projected total balance | Number | With 2 decimal places separated by "," | Yes |
| 23 | Sinal Projetado DN | D - Negative balance / C - positive balance | Text | D/C | Yes |

3.7.3 Trades and cost of broker note - Equities

File Description: Summary of business and costs of the broker note - Equities

Objective: Monitoring of operations

File: GAB107 (For Sinacor) or EXTRATOCCB (For other systems)

Frequency: On demand



Scope: On demand

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------|-------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Nome Sistema | Name of the system to extract brokerage costs Equities | Text | - | No |
| 3 | Código do cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 4 | CPF/CNPJ | CNPJ (EIN); Client CPF [SSN] (PF, PJF, PJNF, FI) | Text | Plain text without ".", "–" or "," | Yes |
| 5 | Data Pregão | Data do pregão | Date (BRL) | yyyy-mm-dd | Yes |
| 6 | Número Nota | Broker note number | Number | - | Yes |
| 7 | Código Assessor | Advisor Code | Text | - | Yes |
| 8 | Natureza | Indication of debit or credit of net and gross amounts | Text | "Débito" or "Crédito" | Yes |
| 9 | Vendas a Vista | Total cash sales in the auction | Number | With 2 decimal places separated by "," | Yes |
| 10 | Compras a Vista | Total cash purchases in the auction | Number | With 2 decimal places separated by "," | Yes |
| 11 | Opções Compra | Total options purchases on the trading floor | Number | With 2 decimal places separated by "," | Yes |
| 12 | Opções Venda | Total options sales on the trading floor | Number | With 2 decimal places separated by "," | Yes |
| 13 | Outras Operações | Other Variable Income operations carried out on the trading floor | Number | With 2 decimal places separated by "," | Yes |



| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------|--------------------------------------------------------|-----------------------------------------------------------|----------------------------------------------------|------------|
| 14 | Volume | Total buying and selling trading volume in the session | Number | With 2 decimal places separated by "," | Yes |
| 15 | Valor Bruto | Gross value of the broker note | broker note Number With 2 decimal places separated by "," | | Yes |
| 16 | Taxas/Corretagem | Taxas/Corretagem Brokerage cost per transaction Numb | | With 2 decimal places separated by "," | Yes |
| 17 | Emolumentos | Purchase or sale transaction trading fees per trade | With 2 decimal | | Yes |
| 18 | Valor Líquido | Net value of the broker note | With 2 decimal | | Yes |

3.7.4 Trades and cost of broker note – Derivatives

File Description: Summary of trades and costs of the broker note - Derivatives

Objective: Monitoring of operations

File: GAB119 (For Sinacor) or EXTRATOCCF (For other systems)

Frequency: On demand

Scope: On demand

| Ref: | Field | Field Description Ty | | Format | Mandatory? |
|------|------------------------|--------------------------------------------------------|---------------------------------------------|------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Participant Code Number Without check digit | | Yes |
| 2 | Nome Sistema | Name of the system to extract brokerage costs Equities | Text | - | No |
| 3 | Código do cliente | Client code at B3 | Text | Plain text, without check digit and without | Yes |



| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------|----------------------------------------------------------------------------------------------|-----------------------------------------------|----------------------------------------------------|------------|
| | | | | punctuations (".", "–" or ",") | |
| 4 | CPF/CNPJ | CNPJ (EIN); Client CPF [SSN] (PF, PJF, PJNF, FI) | | | Yes |
| 5 | Data Pregão | Data do pregão | Date (BRL) | yyyy-mm-dd | Yes |
| 6 | Número Nota | Broker note number | Number | - | Yes |
| 7 | Código Assessor | Advisor Code | Text | - | Yes |
| 8 | Natureza | Indication of debit or credit of net and gross amounts | Text | "Débito ou Crédito" | Yes |
| 9 | Vendas a Vista | Total cash sales in the auction | Number | With 2 decimal places separated by "," | Yes |
| 10 | Compras a Vista | Total cash purchases in the auction | Number | With 2 decimal places separated by "," | Yes |
| 11 | Opções Compra | Total options purchases on the trading floor Number With 2 decimal places separated by "," | | Yes | |
| 12 | Opções Venda | Total options sales on the trading floor | Number | With 2 decimal places separated by "," | Yes |
| 13 | Volume | Total buying and selling trading volume in the session | Number | With 2 decimal places separated by "," | Yes |
| 14 | Valor Bruto | Gross value of the broker note | Number | With 2 decimal places separated by "," | Yes |
| 15 | Taxas/Corretagem | Brokerage cost per transaction | Number With 2 decimal places separated by "," | | Yes |
| 16 | Emolumentos | Purchase or sale transaction trading fees per trade | Number | With 2 decimal | Yes |



| Ref: | Field Description | | Туре | Format | Mandatory? |
|------|-------------------|-------------------------------|--------|----------------------------------------------------|------------|
| | | | | places separated by "," | |
| 17 | Ajuste Posição | Day trade position adjustment | Number | With 2 decimal places separated by "," | Yes |
| 18 | Valor Líquido | Net value of the broker note | Number | With 2 decimal places separated by "," | Yes |

3.8 Investment Advisors (Al's)

3.8.1 Non-exclusive Investment Advisor

File description: List of non-exclusive Als

Objective: Monitoring of operations of related persons

File name: AINAOEXC

Frequency: Monthly

Scope: Photo on the base date of "D-1" at the end of the month evaluated

| Ref: | Field | Description | Туре | Format | Mandatory? | |
|------|------------------------|---------------------------------------------------------------------------------------------------|-----------------------------------------------|------------------------------------------|-------------------------------------------------------------------------------|--|
| 1 | Código Participante | Participant Code | Participant Code Number Without check digit | | Yes | |
| 2 | Nome Al | Name of the individual investment advisor | Text | - | Yes | |
| 3 | CPF AI | IA CPF (SSN) | Text | Plain text without ".", "–" or "," | Yes | |
| 4 | Cod AI | IA code registered in the Participant's system (e.g.: Sinacor, proprietary system, etc.) | Text | - | Yes | |
| 5 | PJ do Al | Name of the IA Company | Text | - | Yes. If the contractual relationship is not via the individual IA | |



| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------------------------------------------------------------------------------|------------|
| 6 | CNPJ do Al | lo AI CNPJ of IA Company Text Plain text without ".", "–" or "," | | Yes. If the contractual relationship is not via the individual IA | |
| 7 | Profissional de Operações Al | Fill in with "Y/, if the IA is an operator or "N" if he/she performs a role other than operator | Text | Y/N | Yes |
| 8 | Operações | Institution Code (B3) in which the AI (investment advisor) is authorized to conduct operations on its own behalf, personal investments (as per CVM Resolution 35) | Number | - | Yes |
| 9 | Data Início acordo | Start date of the agreement to carry out operations at the field 8 institution | nent to | | Yes |

3.8.2 Clients Served by the Investment Advisors (Al's)

<u>File description</u>: Record of clients served by the IA (whether the IA is exclusive or not)

Indicator: Monitoring of operations

File name: AICLI

Frequency: On demand

Scope: Photo on the base date "D-1" at the end of the evaluated quarter

| Ref: | Field | Description | Type | Format | Mandatory? |
|------|------------------------|------------------------------------------------------------------------------|-----------------------------------|------------------------------------------|-------------------------------------------------------------------------------|
| 1 | Código Participante | Participant Code Number Without check digit | | Yes | |
| 2 | Nome Al | Name of the individual investment advisor | Text | 1 | Yes |
| 3 | CPF AI | CPF (SSN) number of the individual Investment Advisor; no dots and no dashes | nt Advisor; Text without ".", "-" | | Yes |
| 4 | CNPJ AI | CNPJ (EIN) number of the Investment Advisor; no dots and no dashes | Text | Plain text without ".", "–" or "," | Yes. If the contractual relationship is not via the individual IA |



| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|----------------------|----------------------------------------------------------|-----------------------|-------------------------------------------------------------------------------------------|------------|
| 5 | Localidade | Inform the location of the individual investment advisor | Text | See "Location Table" | Yes |
| 6 | Nome Cliente | Full name of the client served by the IA | Text | - | Yes (*) |
| 7 | Código do cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes (*) |
| 8 | CPF/CNPJ | CNPJ or CPF of the client | Text | Plain text without ".", "–" or "," | Yes (*) |
| 9 | Código CVM/ID | CVM code/client ID (Non- Resident Investor with CVM) | Text | Plain text without ".", "–" or "," | Yes (*) |
| 10 | Código 88 | Client code 88 (Non-Resident Investor - Other) | · I LEXI I WILDON — I | | Yes (*) |

^(*) Field with multiple data: Insert a new row for each occurrence within the multiple field, replicate the content without changes to other columns and change only the field in question;

| Location | Location Table – Localidade do assessor de investimento pessoa natural | | | | | |
|---------------|------------------------------------------------------------------------|--|--|--|--|--|
| Code Location | | | | | | |
| М | Participating Headquarters | | | | | |
| F | Participating Branch | | | | | |
| E | External / IA Office | | | | | |

3.9 Client Registration

3.9.1 Client Registration Data, including indication of Related Persons and Qualified Investors

File description: Client registration data

<u>Objective</u>: (i) Monitoring the completeness of registration data between the Participant's systems and the B3 System (Sincad); and (ii) operations involving individuals prohibited by CVM, as informed on the regulator's website.



<u>Filling Instruction</u>: Necessary filters in the "Layout" column to fill in the registration database:

- i) Fields with the word PF: Applicable for registration of Individuals;
- ii) Fields with the word PJF: Applicable for registration of Financial Legal Entities (local and non-resident clients);
- iii) Fields with the word PJNF: Applicable for registration of Non-Financial Legal Entities (local and non-resident clients);
- iv) Fields with the word FI: Applicable for registration of Investment Funds; and
- v) Fields with "- ": Applicable for registration of Individuals and Legal Entities

<u>File name</u>: DADCAD Frequency: Quarterly

<u>Scope</u>: Snapshot of active clients⁴ on the 'D-1' base date of the end of the evaluated quarter

⁴ Active client: the client that, in the past 12 (twelve) months, the individual must have: a) conducted transactions in their current account or in their custody position; b) executed operations in the securities market; or c) maintained a balance in their custody position (RCVM 50, Act 2, VI, a, b, c).



| Ref: | Field | Layout | Description | Туре | Format | Mandatory? |
|------|---------------------------|-------------------|----------------------------------------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------|------------|
| 1 | Código Participante | - | Participant Code | Number | Without check digit | Yes |
| 2 | Nome Sistema | - | Name of the registration system | Text | - | No |
| 3 | Código Cliente | - | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 4 | Código Tipo Pessoa | - | Individual; Financial Legal Entity; Non-financial Legal Entity; IF (Investment Fund). | Text | Options: "PF", "PJF", "PJNF" or "FI" | Yes |
| 5 | INR | PF, PJF, PJNF, FI | If the client is a non-resident, with full "INRC" registration, with simplified "INRS" registration | Text | "INRC" and "INRS" or "N" | Yes |
| 6 | PV | PF, PJF, PJNF, FI | Person linked to the Participant | Text | Y/N | Yes |
| 7 | Investidor Qualificado | PF, PJF, PJNF, FI | Affirmative or negative indication regarding the declaration of qualified investor (consider professional investor as qualified) | Text | Y/N | Yes |
| 8 | Data Cadastro | PF, PJF, PJNF, FI | Date of first registration carried out with the Participant | Date (BRT) | yyyy-mm-dd | Yes |
| 9 | Data Atualização | PF, PJF, PJNF, FI | Date of the last registration update carried out with the Participant (according to expiration date or request (ABR)) | Date (BRT) | yyyy-mm-dd | Yes |
| 10 | Classificação Risco | PF, PJF, PJNF, FI | Risk classification defined by the Participant | Text | - | Yes |
| 11 | PEP | Individual | If a politically exposed person, after the diligence carried out by the Participant | Text | Y/N | Yes |
| 12 | Razão Social | PJF, PJNF, FI | Corporate name of the legal entity, according to registration with B3 | Text | - | Yes |
| 13 | Nome Completo | Individual | Name of the client, as registered with B3 | Text | - | Yes |



| Ref: | Field | Layout | Description | Туре | Format | Mandatory? |
|------|-------------------------------|-------------------|-----------------------------------------------------------------------------------------|------------|------------------------------------|-------------|
| 14 | Data Nascimento / Fundação | PF, PJF, PJNF, FI | Date of company's birth or foundation according to registration with B3 | Date (BRT) | yyyy-mm-dd | Yes |
| 15 | Naturalidade Município | Individual | Client's place of birth (Municipality), according to registration with B3 | Text | - | Yes |
| 16 | Naturalidade Estado | Individual | Client's birthplace (State), as registered with B3 | Text | State | Yes |
| 17 | Nacionalidade | Individual | Name of the country that corresponds to the client's nationality, as registered with B3 | Text | - | Yes |
| 18 | Estado Civil | Individual | Civil status of the client, according to registration with B3 | Text | - | Yes |
| 19 | CPF/CNPJ | PF, PJF, PJNF, FI | CNPJ (EIN); Client CPF (Resident) | Text | Plain text without ".", "-" or "," | Yes |
| 20 | Código CVM/ID | PF, PJF, PJNF, FI | CVM Code; Client ID (Non-Resident Investor with CVM) | Text | Plain text without ".", "-" or "," | Yes, if INR |
| 21 | Código 88 | PF, PJF, PJNF, FI | Client code 88 (Non-Resident Investor - Other) | Text | Plain text without ".", "-" or "," | Yes, if INR |
| 22 | Logradouro | PF, PJF, PJNF, FI | Client's address, as registered at B3 (main address only) | Text | - | Yes |
| 23 | Complemento | PF, PJF, PJNF, FI | Complement of the client's public address, as registered with B3 | Text | - | No |
| 24 | Bairro | PF, PJF, PJNF, FI | District of the client's address, as registered on B3 | Text | - | Yes |
| 25 | Cidade | PF, PJF, PJNF, FI | City of the client's address, as registered with B3 | Text | - | Yes |
| 26 | UF | PF, PJF, PJNF, FI | State of the client's address, as registered at B3 | Text | State | No |
| 27 | País | PF, PJF, PJNF, FI | Country of the client's address, as registered with B3 | Text | - | Yes |
| 28 | CEP | PF, PJF, PJNF, FI | Zip code of the client's street, as registered at B3, only numbers without a dash | Number | Numbers, without "-" | Yes |



| Ref: | Field | Layout | Description | Туре | Format | Mandatory? |
|------|----------------------|-------------------|-----------------------------------------------------------------------------------------------------------------------------|--------|------------------------------------------|------------|
| 29 | Número Telefone | PF, PJF, PJNF, FI | Client telephone number, as registered at B3, only numbers with area code, no dash (only the main telephone) | Number | Numbers, with the area code, without "-" | Yes |
| 30 | E-mail | PF, PJF, PJNF, FI | Client's email, as registered on B3 (primary only) | Text | - | Yes |
| 31 | Atividade Econômica | PF, PJF, PJNF, FI | Professional occupation of the individual client, according to registration with B3, or economic activity for other clients | Text | - | Yes |
| 32 | Nome Mae | Individual | Client's mother's name, as registered at B3 | Text | - | Yes |
| 33 | Nome Cônjuge | Individual | Name of the client's spouse, as registered with B3 | Text | - | No |
| 34 | CPF Cônjuge | Individual | CPF (SSN) of the client's spouse, as registered at B3. No dots or dashes | Number | Plain text without ".", "-" or "," | No |
| 35 | Nome Entidade | Individual | Name of the entity the client works for, when applicable | Text | - | No |
| 36 | CNPJ Entidade | Individual | CNPJ (EIN) of the entity for which the client works, when applicable | Text | Plain text without ".", "–" or "," | No |
| 37 | Opera Terceiros | PF, PJF, PJNF, FI | Indication of the client's permission for operations carried out by third parties | Text | Y/N | Yes |
| 38 | Faturamento Médio | PJNF | Average client's billing over 12 months, according to registration at B3, with two decimal places | Number | With 2 decimal places separated by "," | No |
| 39 | Situação Patrimonial | Individual, PJNF | The client's financial situation, with two decimal places. | Number | With 2 decimal places separated by "," | No |
| 40 | Status | PF, PJF, PJNF, FI | Client blocked from acquiring securities | Text | Y/N | Yes |



3.9.2 Attorney-in-fact

<u>File description:</u> Complementary file for the layout of Client Registration Data, Including Indication of Related Persons and Investors (DADCAD)

Objective: Monitoring the completeness of registration data between Participant's system versus B3 system (Sincad)

File name: PROCURADOR

Frequency: Quarterly

Scope: Photo on the base date "D-1" at the end of the evaluated quarter

| Ref: | Field | Layout | Description | Туре | Format | Mandatory? |
|------|-----------------------|-------------------|-----------------------------------------------------------------------------------------------------|--------|------------------------------------|--------------|
| 1 | Código Participante | - | Participant Code | Number | Without check digit | Yes |
| 2 | Código Cliente | - | Client code at B3 Text Plain text, without check digit and without punctuations (".", "-" or ",") | | Yes | |
| 3 | Procurador | PF, PJF, PJNF, FI | Name of the client's Attorney-in-fact | Text | - | Yes |
| 4 | CPF Procurador | PF, PJF, PJNF, FI | CPF (SSN) of the client's Attorney-in-fact Text Plain text without or "," | | Plain text without ".", "-" or "," | Yes (*) (**) |
| 5 | Logradouro Procurador | PF, PJF, PJNF, FI | Public address of the client attorney-in-fact, as registered at B3 | Text | - | Yes |



| Ref: | Field | Layout | Description | Туре | Format | Mandatory? |
|------|------------------------|-------------------|--------------------------------------------------------------------------------------------------------------------|--------|--------|--------------------------------|
| 6 | Complemento Procurador | PF, PJF, PJNF, FI | Complement of the client's Attorney-in-Fact's Text - | | - | Yes |
| 7 | Bairro Procurador | PF, PJF, PJNF, FI | District of the client's Attorney-in-Fact's Address | Text | - | Yes |
| 8 | Cidade Procurador | PF, PJF, PJNF, FI | City of the Client's Attorney-in-Fact's Address | Text | - | Yes |
| 9 | UF Procurador | PF, PJF, PJNF, FI | State of the client's Attorney-in-Fact's Address | Text | State | No |
| 10 | CEP Procurador | PF, PJF, PJNF, FI | Zip code of the client's attorney-in-fact's address, if applicable, only numbers, no dashes | Number | - | Yes |
| 11 | PEP Procurador | PF, PJF, PJNF, FI | Indication of a politically exposed person from the client's attorney-in-fact, if applicable | Text | Y/N | Yes |
| 12 | Descrição Procurador | PF, PJF, PJNF, FI | Description of the powers of the client's representative, including the corporate name and the CNPJ, if applicable | Text | - | Yes |
| 13 | E-mail do Procurador | PF, PJF, PJNF, FI | Attorney-in-fact's email address | Text | - | Yes, if informed by the client |
| 14 | Telefone do Procurador | PF, PJF, PJNF, FI | Attorney-in-fact's telephone number | Text | - | Yes, if informed by the client |

^(*) Field not required if it is from another jurisdiction.

3.9.3 Controller

(Person which controls one or more entities)

<u>File description:</u> Complementary file for the layout of Client Registration Data, Including Indication of Related Persons and Clients (DADCAD)

^(**) Inform the natural persons who represent the Legal Entity indicated by the client.





Objective: Monitoring the completeness of registration data between Participant's system versus B3 system (Sincad)

File name: DADOSCONTROLADOR

Frequency: Quarterly

Scope: Photo on the base date "D-1" at the end of the evaluated quarter

| Ref: | Field | Layout | Description | Туре | Format | Mandatory? |
|------|-------------------------|--------|-----------------------------------------------------------------------------------------------|---------------------------------------------|----------------------------------------------------------------------------|------------|
| 1 | Código Participante | - | Participant Code | Participant Code Number Without check digit | | Yes |
| 2 | Código Cliente | - | Client code at B3 Toxt digit and without | | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 3 | Controlador | PJNF | Client's controller name, if applicable | Text | - | Yes |
| 4 | CPF_CNPJ Controlador | PJNF | CPF/CNPJ (SSN/EIN) of the client's Controller and, if applicable, CVM Code. No dots or dashes | Text Plain text without ".", "-" or "," | | Yes |
| 5 | Logradouro Controlador | PJNF | Client Controller's address, as registered at B3 | Text | - | No |
| 6 | Complemento Controlador | PJNF | Complement of the client's Controller Address, if applicable | Text | - | No |
| 7 | Bairro Controlador | PJNF | District of the client's Controller's Address, if applicable | Text - | | No |
| 8 | Cidade Controlador | PJNF | City of the client's Controller Address, if applicable | Text - | | No |
| 9 | UF Controlador | PJNF | State of the client's Controller's Street, if applicable Text State | | State | No |
| 10 | CEP Controlador | PJNF | Zip code of the client's Controller's Address, if applicable, only numbers, no dashes | | | No |



| Ref: | Field | Layout | Description | Туре | Format | Mandatory? |
|------|-----------------|--------|-------------------------------------------------------------------------------------------------|------|--------|--------------------|
| 11 | PEP Controlador | PJNF | Indication of politically exposed person of the client's controlling shareholder, if applicable | Text | S/N | Yes, if Individual |

^(*) The changes in nomenclature, structure and/or filling of the fields proposed in this layout will be valid for deliveries made from January/2025. Deliveries to be made before January/2025 must follow the layout structure specified in version 2.1 of this manual.

3.9.4 Administrator

<u>File description:</u> Complementary file for the layout of Client Registration Data, Including Indication of Related Persons and Clients (DADCAD)

Objective: Monitoring the completeness of registration data between Participant's system versus B3 system (Sincad)

File name: ADMINISTRADOR

Frequency: Quarterly

Scope: Photo on the base date "D-1" at the end of the evaluated quarter

| Ref: | Field | Layout | Description | Туре | Format | Mandatory? |
|------|------------------------|-----------|--------------------------------------------------------------------------------------------------|------|----------------------------------------------------------------------------|------------|
| 1 | Código Participante | - | Participant Code | | Without check digit | Yes |
| 2 | Código Cliente | - | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "-" or ",") | Yes |
| 3 | Administrador | PJF, PJNF | Name of client administrator, if applicable | Text | - | Yes |
| 4 | CPF_CNPJ Administrador | PJF, PJNF | CPF/CNPJ (SSN/EIN) of the client's administrator and, if applicable, CVM Code. No dots or dashes | Text | Plain text without ".", "-" or "," | Yes |





| Ref: | Field | Layout | Description | Туре | Format | Mandatory? |
|------|------------------------------|-----------|------------------------------------------------------------------------------------------|------------|--------|------------|
| 5 | Logradouro Administrador | PJF, PJNF | Address of the client's Administrator, as registered with B3 | , o l lovi | | No |
| 6 | Complemento Administrador | PJF, PJNF | Complement of the client's Administrator's Public Address, if applicable | | | No |
| 7 | Bairro Administrador | PJF, PJNF | District of the client's Administrator's Address, if applicable | Text - | | No |
| 8 | Cidade Administrador | PJF, PJNF | City of the client's Administrator's location, if applicable | Text - | | No |
| 9 | UF Administrador | PJF, PJNF | State of the client's Administrator's Public Address, if applicable Text State | | State | No |
| 10 | CEP Administrador | PJF, PJNF | Zip code of the client's administrator's address, if applicable, only numbers, no dashes | Number | - | No |
| 11 | PEP Administrador | PJF, PJNF | Indication of a politically exposed person from the client administrator, if applicable | | | No |

3.9.5 Parent Company

(Entity which controls one or more controlled companies)

<u>File description:</u> Complementary file for the layout of Client Registration Data, Including Indication of Related Persons and Clients (DADCAD)

Objective: Monitoring the completeness of registration data between Participant's system versus B3 system (Sincad)

File name: CONTROLADORA

Frequency: Quarterly

Scope: Photo on the base date "D-1" at the end of the evaluated quarter



| Ref: | Field | Layout | Description | Туре | Format | Mandatory? |
|------|---------------------------|--------|---------------------------------------------------------------------------------------------------------------------------------|--------|------------------------------------|------------|
| 1 | Código Participante | - | Participant Code | Number | Without check digit | Yes |
| 2 | Código Cliente | - | Client code at B3 Text Plain text, without check digit and without punctuations (".", "-" or ",") | | Yes | |
| 3 | Razão Social Controladora | PJNF | Corporate name of the client's controlling shareholder(s), as per registration at B3 | | - | Yes |
| 4 | CNPJ Controladora | PJNF | CNPJ (EIN) of the client's controller(s), as registered at B3, only numbers, no dashes Text Plain text without ".", "- or "," | | Plain text without ".", "-" or "," | Yes |
| 5 | Registro Controladora | PJNF | In the case of non-resident controller(s), inform the identification record abroad Number - | | No | |

3.9.6 Subsidiary

(Entity which is controlled by another entity)

<u>File description:</u> Complementary file for the layout of Client Registration Data, Including Indication of Related Persons and Clients (DADCAD)

Objective: Monitoring the completeness of registration data between Participant's system versus B3 system (Sincad)

File name: ENTIDADECONTROLADA

Frequency: Quarterly

Scope: Photo on the base date "D-1" at the end of the evaluated quarter



| Ref: | Field | Layout | Description | Туре | Format | Mandatory? |
|------|-------------------------|--------|---------------------------------------------------------------------------------------------------------------|--------|---------------------|------------|
| 1 | Código Participante | - | Participant Code | Number | Without check digit | Yes |
| 2 | Código Cliente | - | Client code at B3 Text Plain text, without check digit and without punctuations (".", "-" or ",") | | Yes | |
| 3 | Razão Social Controlada | PJNF | Corporate name of the client's subsidiary(ies) | Text | - | Yes |
| 4 | CNPJ Controlada | PJNF | CNPJ (EIN) of the client's subsidiary(ies), only numbers, no dashes Text Plain text without ".", "-" or "," | | Yes | |
| 5 | Registro Controlada | PJNF | In the case of a non-resident subsidiary(ies), inform the identification record abroad Text - | | Yes | |

^(*) The changes in nomenclature, structure and/or filling of the fields proposed in this layout will be valid for deliveries made from January/2025. Deliveries to be made before January/2025 must follow the layout structure specified in version 2.1 of this manual.

3.9.7 Affiliate

(When a company have participation of another company's capital without exercising control over it)

<u>File description:</u> Complementary file for the layout of Client Registration Data, Including Indication of Related Persons and Clients (DADCAD)

Objective: Monitoring the completeness of registration data between Participant's system versus B3 system (Sincad)

File name: COLIGADA

Frequency: Quarterly

Scope: Photo on the base date "D-1" at the end of the evaluated quarter



| Ref: | Field | Layout | Description | Туре | Format | Mandatory? |
|------|-----------------------|--------|------------------------------------------------------------------------------------------------------------|---------------------------|----------------------------------------------------------------------------|------------|
| 1 | Código Participante | - | Participant Code | Participant Code Number V | | Yes |
| 2 | Código Cliente | - | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "-" or ",") | Yes |
| 3 | Razão Social Coligada | PJNF | Corporate name of the client's affiliate(s) | Text | - | Yes |
| 4 | CNPJ Coligada | PJNF | CNPJ (EIN) of the client's affiliate(s), only numbers, no dashes Text Plain text without ".", "-" or "," | | Yes | |
| 5 | Registro Coligada | PJNF | In the case of non-resident affiliate(s), inform the identification record abroad | Text | - | No |

3.9.8 INR data

(Simplified Non-Resident Investor and Full Non-Resident Investor)

<u>File description:</u> Complementary file for the layout of Client Registration Data, Including Indication of Related Persons and Clients (DADCAD)

Objective: Monitoring the completeness of registration data between Participant's system versus B3 system (Sincad)

File name: DADOSINR

Frequency: Quarterly

Scope: Photo on the base date "D-1" at the end of the evaluated quarter



| Ref: | Field | Layout | Description | Туре | Format | Mandatory? |
|------|-----------------------|-------------------|-------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|---------------------------------------|------------|
| 1 | Código Participante | - | Participant Code | Number | Without check digit | Yes |
| 2 | Código Cliente | - | Client code at B3 | Client code at B3 Text | | Yes |
| 3 | Nome PA INR | PF, PJF, PJNF, FI | In the case of non-resident clients, inform the name of the person authorized to issue orders in the country | Text | - | Yes |
| 4 | Nome Adm INR | PF, PJF, PJNF, FI | In the case of non-resident clients, inform the name of the administrator responsible for the portfolio | Text | - | Yes |
| 5 | Nome RL INR | PF, PJF, PJNF, FI | In the case of non-resident clients, provide the name of the legal representative | Text | - | Yes |
| 6 | Nome Custodia INR | PF, PJF, PJNF, FI | In the case of non-resident clients, inform the name of the person responsible for custody | Text | - | Yes |
| 7 | CPF_CNPJ PA INR | PF, PJF, PJNF, FI | In the case of non-resident clients, inform the CPF/CNPJ (SSN/EIN) of the person authorized to issue orders in the country | Text | Plain text without ".", "–" or "," | Yes |
| 8 | CPF_CNPJ Adm INR | PF, PJF, PJNF, FI | In the case of non-resident clients, inform the CPF/CNPJ (SSN/EIN) of the administrator responsible for the portfolio | Text Plain text without ".", "–" or "," | | Yes |
| 9 | CPF_CNPJ RL INR | PF, PJF, PJNF, FI | In the case of non-resident clients, inform the CPF/CNPJ (SSN/EIN) of the legal representative | Text | Plain text without ".", "-" or "," | Yes |
| 10 | CPF_CNPJ Custodia INR | PF, PJF, PJNF, FI | In the case of non-resident clients, inform the CPF/CNPJ (SSN/EIN) of the person responsible for custody Plain text without or "," | | Plain text without ".", "–" or "," | Yes |



3.9.9 List of Related Persons

<u>Description of the file</u>: Registration data of Persons Linked to the Participant (as defined in CVM Resolution 35/2021 - Art. 2°), regardless of being a client of the Institution, including Investment Advisors.

<u>Objective</u>: (i) Monitoring related person's operations through another Participant; (ii) conciliation of the information of related persons with SINCAD; (iii) execution of transactions of related person/portfolio without identification of the final client in the offers submitted to the trading system, or re-specification of transactions involving related person/proprietary portfolio.

<u>File name</u>: PEVINC <u>Frequency</u>: Monthly

Scope: Photo on the base date of "D-1" at the end of the month evaluated

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|-----------------|-----------------------------------------------|------------|------------------------------------------|------------|
| 1 | CPF_CNPJ _PV | CNPJ (EIN); CPF of the Related Person. (*) | Text | Plain text without ".", "–" or "," | Yes |
| 2 | Nome_da_PV | Full name or company name of the PV | Text | - | Yes |
| 3 | Código PV | Link code description | Text | See table 1 below | Yes |
| 4 | Data_Vinculo | Date from which the link became valid | Data (BRT) | yyyy-mm-dd | Yes |
| 5 | Data_Desvinculo | Date on which the PV left the Institution | Data (BRT) | yyyy-mm-dd | No (**) |

^(*) Code 99 for INR (Non-Resident Investor)

(**) Required only if disassociated during the analysis period.

^(***) The changes in nomenclature, structure and/or filling of the fields proposed in this layout will be valid for deliveries made from January/2025. Deliveries to be made before January/2025 must follow the layout structure specified in version 2.1 of this manual.

| Table 1 – Code types PV | | | | |
|-------------------------|-----------------------|--|--|--|
| Code PV PV type | | | | |
| 1 | Employee | | | |
| 2 | Investiments Advisors | | | |
| 3 | Third Party | | | |
| 4 | Partner | | | |
| 5 | Shareholder | | | |

| | Table 1 – Code types PV | | |
|-----------------|-------------------------|--|--|
| Code PV PV type | | | |
| 6 Spouse | | | |
| 7 Partner | | | |
| 8 | 8 Minor Child | | |
| 9 | 9 Controlled company | | |
| 10 | 10 Investments Funds | | |
| 11 | Investments Clubs | | |

3.9.10 Risk Level for Registration Update

<u>File description:</u> Base containing the maximum period for updating client records according to the risk level

<u>Objective</u>: Monitoring of clients who operated with outdated registration, in accordance with the Risk Classification Policy defined by the Participant (ABR)

<u>File name</u>: MAXICAD <u>Frequency</u>: Quarterly

Scope: Photo on the base date "D-1" at the end of the evaluated quarter

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|-------------------------------------|-----------------------------------------------------------------------------------------------|--------|------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without Check Digit | Yes |
| 2 | Nível de Risco | Risk level defined by the Participant | Text | - | Yes |
| 3 | Prazo máximo para atualização | Maximum registration update period (in months) defined by the Participant for the risk level. | Number | Number of months | Yes |

3.9.11 Authorized issuers

<u>File description:</u> Data of persons authorized to issue orders on behalf of one or more clients

Objective: Monitoring authorized issuers issuing orders on behalf of clients



File name: EMISSORAUT

Frequency: Quarterly

Scope: Photo on the base date "D-1" at the end of the evaluated quarter

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|--------------------------|----------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Identificador Emissor | CPF (SSN),CVM code of the issuer or Passport | Text | Plain text without ".", "–" or "," | Yes |
| 3 | Nome Emissor | Full name or company name of the authorized issuer | Text | - | Yes |
| 4 | País Emissor | Country of address of the authorized issuer | Text | - | No |
| 5 | Data Início | Start date of authorization as an issuer | Date (BRT) | yyyy-mm -dd | Yes |
| 6 | Data Fim | End date of authorization as issuer | Date (BRT) | yyyy-mm -dd | Yes (*) |
| 7 | Código Cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 8 | Nome Cliente | Full name or company name of the client, as registered with B3 | Text | - | Yes |

^(*) Applicable only if the relationship ended during the evaluated period.

3.10 Margin Account

3.10.1 Joining to the Margin Account product

File description: Joining to the Margin Account product

Objective: Monitoring the adherence to the Margin Account Product

File name: CMADESAO

Frequency: Quarterly



<u>Scope</u>: Photo on the base date of "D-1" at the end of the evaluated four-month period

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------|---------------------------------------------------------|--------|-------------------------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Nome Sistema | Margin account system name | Text | - | No |
| 3 | Código do cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 4 | CPF/CNPJ | CNPJ (EIN); Client CPF (SSN); No dots or dashes | Text | Plain text without ".", "–" or "," | No |
| 5 | Código CVM/ID | CVM code/client ID (Non- Resident Investor with CVM) | Text | Plain text without ".", "–" or "," | No |
| 6 | Código 88 | Client code 88 (Non-Resident Investor - Other) | Text | Plain text without ".", "–" or "," | No |
| 7 | Nome Cliente | Client Name | Text | - | Yes |

3.10.2 Clients who Operate Margin Accounts

File description: Record of clients who operated on the Participant's margin account

Objective: Monitoring of operations with the Margin Account Product

File name: CMOPER

Frequency: Quarterly

<u>Scope</u>: Photo on the base date of "D-1" at the end of the evaluated four-month period

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------|----------------------------|--------|------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Nome Sistema | Margin account system name | Text | - | No |



| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|----------------------|---------------------------------------------------------|--------|----------------------------------------------------------------------------|------------|
| 3 | Código do cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 4 | CPF/CNPJ | CNPJ (EIN); Client CPF (SSN); No dots or dashes | Number | Plain text without ".", "–" or "," | Yes |
| 5 | Código CVM/ID | CVM code/client ID (Non- Resident Investor with CVM) | Number | Plain text without ".", "–" or "," | No |
| 6 | Código 88 | Client code 88 (Non-Resident Investor - Other) | Number | Plain text without ".", "–" or "," | No |
| 7 | Nome do Cliente | Client Name | Text | - | Yes |

3.10.3 List of financing and guarantees for clients who operated on the margin account

<u>File description</u>: List of financing and guarantees for clients who operated on the margin account

<u>Objective</u>: Monitoring the assets financed and used as collateral, using the margin account.

File name: CMFINGAR

Frequency: Quarterly

Scope: Relationship considering the basis of the previous 4 months

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------|-------------------------------------------|--------|-------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Nome Sistema | Margin account system name | Text | - | No |
| 3 | Nome Cliente | Name of the client, as registered with B3 | Number | - | Yes |
| 4 | Conta do cliente | Client code at B3 | Text | Plain text, without check digit and | Yes |



| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|-----------------------------|-------------------------------------------------------------------------------------------------------------------|------------|--------------------------------------------------------|------------|
| | | | | without punctuations (".", "–" or ",") | |
| 5 | Data Operação | Dates of operations carried out by the client using the Margin Account service | Date (BRT) | yyyy-mm-dd | Yes |
| 6 | Código da operação | Code of the operation carried out by the client using the Margin Account service | Text | - | Yes |
| 7 | Ativo Financiado | Description of the Asset Financed by the client using the Margin Account service (as per B3 website - asset code) | Text | (*) | Yes |
| 8 | Qtde. Ativos Financiados | Quantity of Asset Financed by the client using the Margin Account service | Number | (*) | Yes |
| 9 | Cotação Ativo Financiado | Prices of Assets Financed by the client using the Margin Account service | Number | (*) | Yes |
| 10 | Valor Ativo Financiado | Value of Assets Financed by the client using the Margin Account service | Number | With 2 decimal places separated by "," (*) | Yes |
| 11 | Ativo Garantia | Description of the Asset pledged as Guarantee by the client to use the Margin Account service | Text | (*) | Yes |
| 12 | Qtde Ativo Garantia | Number of Assets pledged as Guarantee by the client using the Margin Account service | Number | (*) | Yes |
| 13 | Cotação Ativo Garantia | Prices of Assets pledged as Guarantee by the client to use the Margin Account service | Number | (*) | Yes |
| 14 | Valor Ativo Garantia | Value of Assets pledged as Guarantee by the client to use the Margin Account service | Number | With 2 decimal places separated by "," (*) | Yes |
| 15 | Garantia Disponível | Balance of guarantees available by the client to use the Margin Account service | Number | (*) | Yes |

^(*) Field with multiple data: Insert a new row for each occurrence within the multiple field, replicate the content without changes to other columns and change only the field in question;

3.10.4 Operations carried out through a Margin Account



File description: Data on financing operations carried out through margin accounts

Objective: Monitoring the assets financed and used as guarantee

File name: CTAMARGEM

Frequency: Quarterly

Scope: List covering the basis of the previous 4 months

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------|---------------------------------------------------------|---------------|----------------------------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Nome Sistema | Margin account system name | Text | - | No |
| 3 | Data | Margin account transaction date | Date | yyyy-mm-dd | Yes |
| 4 | Hora | Margin account operation time | Time (BRT) | hh:mm:ss,sss | Yes |
| 5 | Código do cliente | Client code at B3 | Text | Plain text, without the check digit and without punctuations (".","-" or ",") | Yes |
| 6 | CPF/CNPJ | CNPJ (EIN); Client CPF (SSN); No dots or dashes | Text | Plain text without ".", "–" or "," | No |
| 7 | Código CVM/ID | CVM code/client ID (Non- Resident Investor with CVM) | Text | Plain text without ".", "–" or ",". | No |
| 8 | Código 88 | Client code 88 (Non-Resident Investor - Other) | Text | Plain text without ".", "–" or ",". | No |
| 9 | Valor | Value of the margin account operation. | Number | With 2 decimal places separated by "," | Yes |

3.11 Execute Orders

3.11.1 List of Account Codes by Category



File description: List of account codes by category

Objective: Control of occurrence record (reason) for all operations recorded in the

Error Account

File name: EOCODCONT

Frequency: On demand

Scope: On demand

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|-----------------------------|--------------------|--------|--------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Código da Conta | Account code | Number | - | Yes |
| 3 | ID do Tipo de Utilização | Account usage type | Text | See table 4 (*) below | Yes (*) |

^(*) Fill in 1 code per account. If there is more than one code for one account, repeat the account usage ID data adding the code.

| | Table 4 – Details of Type of Use | | | |
|--------|---------------------------------------|--|--|--|
| ID (*) | Description of type of use | | | |
| Α | Normal Account | | | |
| В | Master Account | | | |
| С | Brokerage Account | | | |
| D | Account Error | | | |
| E | Operational Error Account | | | |
| F | Capture Account | | | |
| G | Admin Account | | | |
| Н | Finterm account | | | |
| I | Intermediate Account | | | |
| J | Transitional Account for Market Maker | | | |
| K | Participant's own wallets | | | |
| L | Facilitation Account | | | |

3.11.2 Portfolios managed by the Participant



File description: List of portfolios managed by the Participant

Objective: Operations monitoring

File name: CICARTGER

Frequency: On demand

Scope: On demand

| Ref: | Field | Description | Description Type Format | | Mandatory? |
|------|------------------------|-----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|------------------------------------------|------------|
| 1 | Código Participante | Participant Code Number Without check digit | | Yes | |
| 2 | Código do cliente | Client code at B3 Text Plain text, without check digit and without punctuations (".", "—" or ",") | | Yes | |
| 3 | CPF/CNPJ | CNPJ (EIN); Client CPF (SSN) | CNPJ (EIN); Client CPF (SSN) Text Plain text without ".", "–" or "," | | No |
| 4 | Código CVM/ID | CVM code/client ID (Non- Resident Investor with CVM) | Text | Plain text without ".", "–" or "," | No |
| 5 | Código 88 | Client code 88 (Non-Resident Investor - Other) | Text | Plain text without ".", "–" or "," | No |
| 6 | Nome Cliente | Name of the client, as registered with B3 | Text - | | Yes |

3.11.3 Inclusion, change and cancellation of orders trail

<u>File description</u>: List of orders entered, changed and canceled on the trading platforms used by the client

<u>Objective</u>: (i) Monitoring the Sufficiency of Trading Platform Audit Trails; (ii) analyzes of the correct utilization of the negotiation's sessions; and (iii) evaluation of the offers' origins.

File name: ORDENS

Frequency: On demand

BSM Supervisão de Mercados +55 11 2565-6200 Rua Líbero Badaró, 471, 1º, 2º e 3º andares Centro, CEP 01009-903 São Paulo (SP) www.bsmsupervisao.com.br



| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------------------|-------------------------------------------------------------------------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------------|-----------------------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Plataforma de negociação | Trading platform description (screen) | Text - | | Yes |
| 3 | OMS | Name of OMS (Order Management System) | Text | - | Yes |
| 4 | Data | Date of each status (order status) | Date | yyyy-mm-dd | Yes |
| 5 | Hora | Time of each status (order status) | Time (BRT) | hh:mm:ss,sss | Yes |
| 6 | ID da oferta | Identification of the order in Participant's trading platform (ClOrderID) | Text | - | Yes |
| 7 | ID da oferta B3 | Identification of the order at B3 (OrderID) | Text | - | Yes |
| 8 | Usuário | Trading platform user code registered in the order for insertion, change or cancellation of the order | Text | - | Yes |
| 9 | Código do Operador_as sessor | Operator or advisor code, in case of order sent via trading desk or advisor | Text | - | Yes |
| 10 | Código do cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 11 | Ativo | Asset code registered in the order | Text | - | Yes |
| 12 | Preço | Order price. | Number With 2 decimal places separated by "," | | Yes, except market order |
| 13 | Preço Stop | Order Stop Price, if applicable | Number With 2 decimal places separated by "," | | No |
| 14 | Preço executado | Executed price | Number | With 2 decimal places separated by | Yes |



| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|--------------|-------------------------------------------------------------------------------------------|------------|
| 15 | Quantidade | Order lot quantity | Number | - | Yes |
| 16 | Quantidade executada | Lot quantity executed | Number | - | Yes |
| 17 | Natureza | Type of order | Text | "Buy" or "Sell" | Yes |
| 18 | Sessão | Trading session contracted at B3 | Text | "DMA", "Mesa" or "Repassador" | Yes |
| 19 | Código Sessão | Session Code | Text | - | Yes |
| 20 | Sender location | Sender Location code to identify types of operations with B3 (E.g.: MESPF/MESNF, ASRPF/ASRNF, ZERPF/ZERNF, MDAPF/MDANF) | Text | - | Yes |
| 21 | Tipo | Limit Market Order, Limit Order, Protected Stop Order, Limit Stop Order, Market Order etc. (Status coming from the trading screen) | Text | - | Yes |
| 22 | Tipo do <i>stop</i> | Stop Loss, Stop Gain and others, if applicable (Status from the trading screen) | Text | - | Yes |
| 23 | Validade da ordem | Order validity | Text | See Table 1 | Yes |
| 24 | Data de expiração da oferta | Order expiration date, if applicable | Date | yyyy-mm-dd | Yes |
| 25 | Status | Order status description | Text | See Table 2 | Yes |
| 26 | Motivo da Rejeição | Description of reason in case of rejected order | Text | - | Yes |
| 27 | Origem da oferta | IP, hostname, MAC Address, etc | Text | Text - | |
| 28 | Roteamento (RLP) | Inform whether the order comes from the Retail Liquidity Provider (RLP) product | Text SIM/NÃO | | Yes |
| 29 | Direta Automática | Inform whether the order is automatic direct | Text | SIM/NÃO | Yes |
| 30 | Time Zone | Time zone of recorded time (GMT-3) | number | (e.g.: if it is GMT-3, fill it with -3, if it is GMT+0, fill it with 0, etc.) | Yes |

^(*) The field must be filled in according to the statuses mentioned in the "Format" field.

| Table 1 – Type of order validity | | | |
|----------------------------------|--------------------------|--|--|
| Trigger ID (*) | Validity | | |
| Α | Good Till Canceled - GTC | | |
| B Good Till Date - GTD | | | |
| С | Fill And Kill - FaK | | |
| D | Market on Auction -MOA | | |
| E | Market on Close - MOC | | |
| F | Day | | |
| G | Fill or Kill - FOK | | |

| Table 2 – Order status description | | | |
|------------------------------------|--------------------|--|--|
| Trigger ID (*) | Status | | |
| Α | New | | |
| В | Replaced | | |
| С | Canceled | | |
| D | Rejected | | |
| E | Executed | | |
| F | Partially Executed | | |
| G | Scheduled | | |
| Н | Pending | | |
| I | Expired | | |

3.11.4 Order Summary Trail

<u>File description</u>: List of orders entered, changed and canceled on the trading platforms used by the client

<u>Objective</u>: To assess the use of the session⁵ and the origin of orders (restricted to Institutions that deal with clients (i) Individuals; and (ii) Non-Financial Legal Entities)

⁵ Only DMA – Direct Market Access, which origins is the PNP/PN or Provider, as related in "Regras e Parâmetros de Negociação" B3 website page.



File Name: RESUORD

Frequency: Quarterly

Scope: List covering the basis of the previous 3 months

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|--------------------------------|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without digit check | Yes |
| 2 | Plataforma de negociação | Trading platform description (screen) | Text - | | Yes |
| 3 | OMS | Name of OMS (Order Management System) | Text | - | Yes |
| 4 | Data | Date of each status (order status) | Date | yyyy-mm-dd | Yes |
| 5 | Hora | Time of each status (order status) | Time (BRT) | hh:mm:ss,sss | Yes |
| 6 | ID da oferta | Identification of the order on the Participant's trading platform (CIOrderID) | Text | - | Yes |
| 7 | ID da oferta B3 | Identification of the order at B3 (OrderID) | Text | - | Yes |
| 8 | Usuário | Trading platform user code registered in the order for insertion, change or cancellation of the order | Text | - | Yes |
| 9 | Código do Operador | In case of an order sent via trading desk or advisor, operator code registered with B3 | Text | - | Yes |
| 10 | Código do cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "-" or ",") | Yes |
| 11 | Código Sessão | Session Code | Text - | | Yes |
| 12 | Status | Order status description | Text Inserida, Alterada, Cancelada, Rejeitada, Executada, Parcialmente Executada, Agendada, Pendente e Expirada (*) | | Yes |



| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|---------------------|-------------------------------------------|------|-------------------------------------------------------------------------------------------|------------|
| 13 | Origem da oferta | IP, hostname, MAC Address, etc | Text | - | Yes |
| 14 | Time Zone | e Zone Time zone of recorded time (GMT-3) | | (e.g.: if it is GMT-3, fill it with -3, if it is GMT+0, fill it with 0, etc.) | Yes |

^(*) The field must be filled in according to the statuses mentioned in the "Format" field.

3.11.5 Session Purpose

File description: List of sessions and their respective purposes

Objective: Evaluate session usage and source of orders (supplementary file 3.11.4)

File name: FINASESSION

Frequency: Quarterly

Scope: Photo on the base date "D-1" at the end of the evaluated quarter

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------|------------------------|--------|-------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Código Sessão | Session Code | Text | - | Yes |
| 3 | Finalidade | Purpose of the session | Text | "DMA", "Mesa" or "Repassador" | Yes |

^(*) The field must be filled in according to the statuses mentioned in the "Format" field.

3.11.6 Record of occurrence of operations recorded in the Operational Error Account

<u>File description:</u> Participant Control to record the occurrence (reason) of all operations recorded in the Operational Error Account

Objective: Monitoring of records of operations recorded in the operational error account

File name: LANCERRO

BSM Supervisão de Mercados +55 11 2565-6200 Rua Líbero Badaró, 471, 1º, 2º e 3º andares Centro, CEP 01009-903 São Paulo (SP) www.bsmsupervisao.com.br



Frequency: On demand

Scope: On demand

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|-------------------------|-------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Data | Date of registration of the operation recorded in the error account | Date | yyyy-mm-dd | Yes |
| 3 | Hora | Time of recording the occurrence of the operation recorded in the error account | Time (BRT) | hh:mm:ss,sss | Yes |
| 4 | Código do cliente | Client code at B3 whose operation was recorded in the error account | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 5 | Ativo | Asset code registered in the order | Text | - | Yes |
| 6 | Quantidade | Order quantity | Number | - | Yes |
| 7 | Justificativa | Record of the justification for the operation posted to the error account | Text | - | Yes |
| 8 | ID da oferta | Identification of the order on the Participant's trading platform (ClOrderID) | Text | - | No |
| 9 | ID da oferta B3 | Identification of the order at B3 (OrderID) | Text | - | No |
| 10 | Tipo | Identification of the type of entry | Text | "Ocorrência" or "Reversão" | Yes |
| 11 | Código da Conta Erro | Error account code/operational error account | Number | - | Yes |

3.12 Manage Risks

3.12.1 Pre-Operational Risk – Inclusion and Change of Limits

<u>File description</u>: Inclusion and change of parameters that make up the Clients' operational limits (Pre Risk)



Objective: Monitoring of Activities Performed by Certified Professionals

File Name: RISCOPRE

Frequency: On demand

| Ref: | Field | Description | Туре | Format | Mandatory |
|------|------------------------|----------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------|-----------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Nome Sistema | Name of the limit system pre- operational | Text | - | Yes |
| 3 | Evento | Event type | Text | See Events table | Yes |
| 4 | Código do cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 5 | Data | Date of event occurrence | Date | yyyy-mm-dd | Yes |
| 6 | Hora | Time of event occurrence | Time (BRT) | hh:mm:ss or hh:mm:ss,sss | Yes |
| 7 | Usuário | Identification of the user who executed the event in the system | Text | - | Yes |
| 8 | Item | Identification of the client or Risk Profile related to the event | Text | 1 | Yes |
| 9 | Ativo | Identification of the asset referring to the event | Text | - | No (*) |
| 10 | Valor Limite | Operating limit value defined in the event | Number | With 2 decimal places separated by "," | Yes |

^(*) Only applicable to the Participant's process.

(**) The changes in nomenclature, structure and/or filling of the fields proposed in this layout will be valid for deliveries made from January/2025. Deliveries to be made before January/2025 must follow the layout structure specified in version 2.1 of this manual.



| Event Table – Format and description of events | | | |
|------------------------------------------------|------------|--|--|
| Information Description of the event | | | |
| I | Inclusion | | |
| Α | Alteration | | |
| E | Exclusion | | |

3.12.2 Post-Operational Risk – Inclusion and Change of Limits

<u>File description</u>: Inclusion and change of parameters that make up Client operational limits (Post Risk)

Objective: Monitoring of Activities Performed by Certified Professionals

File name: RISCOPOS

Frequency: Quarterly

Scope: List covering the basis of the previous 3 months

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------|----------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |
| 2 | Nome Sistema | Guarantee system name | Text | - | No |
| 3 | Evento | Event type | Text | See Events table | Yes |
| 4 | Código do cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 5 | Data | Date of event occurrence | Date | yyyy-mm-dd | Yes |
| 6 | Hora | Time of event occurrence | Time (BRT) | hh:mm:ss or hh:mm:ss,sss | Yes |
| 7 | Usuário | Identification of the user who executed the event in the system | Text | Text - | |
| 8 | Item | Identification of the client or Risk Profile related to the event | Text - | | Yes |
| 9 | Parâmetro | Identification of the parameter referring to the event | Text | - | Yes |



| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|-----------------------|---------------------------------------------|--------|----------------------------------------|------------|
| 10 | Valor do Parâmetro | Parameter Value added or changed by user | Number | With 2 decimal places separated by "," | Yes |

| Event Table – Format and description of events | | | |
|------------------------------------------------|------------|--|--|
| Information | Event | | |
| I | Inclusion | | |
| Α | Alteration | | |
| E | Exclusion | | |

3.13 Treasury/Current Account

3.13.1 Inclusion and Maintenance of Financial Values Manually Entered into Client Accounts

<u>File description</u>: Record of inclusion and maintenance of financial values manually entered into client accounts

Objective: Identify entries made incorrectly in client accounts

<u>File name</u>: LANCMANC <u>Frequency</u>: On demand

| Ref: | Field | Field Description | | Format | Mandatory |
|------|------------------------------------|--------------------------|---------------|-----------------------------|-----------|
| 1 | Código Participante Broker Code | | Number | Without check digit | Yes |
| 2 | Sistema | System name | Text | - | No |
| 3 | Evento Event type | | Text | See Events Table | Yes |
| 4 | Data do Evento | Date of event occurrence | Date | yyyy-mm-dd | Yes |
| 5 | Hora do Evento | Time of event occurrence | Time (BRT) | hh:mm:ss or hh:mm:ss,sss | Yes |



| Ref: | Field | Description | Туре | Format | Mandatory |
|------|-------------------------------------------------------------------------|----------------------|---------------|-------------------------------------------------------------------------------------------|-----------|
| 6 | Identification of the user who Usuário executed the event in the system | | Text | - | Yes |
| 7 | Código do cliente | Client code at B3 | Text | Plain text, without check digit and without punctuations (".", "–" or ",") | Yes |
| 8 | Num. Lançamento | Entry identification | Number | Whole number | Yes |
| 9 | Data Entry date | | Date | yyyy-mm-dd | Yes |
| 10 | Hora Lançamento | Entry time | Time (BRT) | hh:mm:ss or hh:mm:ss,sss | Yes |
| 11 | Valor Lançamento | Entry value | Number | With 2 decimal places separated by "," | Yes |
| 12 | Descrição Lançamento | Entry description | Text | - | Yes |

| | Event Table – Format and description of events | | | | |
|-------------|------------------------------------------------|--|--|--|--|
| Information | Event | | | | |
| I | Inclusion | | | | |
| Α | Alteration | | | | |
| E | Exclusion | | | | |

3.14 Information Security

3.14.1 Administrative Activities in Systems

<u>File description</u>: Record of administrative activities (change of parameters, user management, blocking and unblocking passwords, etc.) in the systems within the audit scope.

Objective: Monitoring the integrity of the trail of systems within the scope

File name: ADMINSIST

BSM Supervisão de Mercados +55 11 2565-6200 Rua Líbero Badaró, 471, 1º, 2º e 3º andares Centro, CEP 01009-903 São Paulo (SP) www.bsmsupervisao.com.br



Frequency: On demand

Scope: On demand

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|-----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------------|------------|
| 1 | Código Participante Broker Code | | Number | Without check digit | Yes |
| 2 | 2 Sistema System name | | Text | - | Yes |
| 3 | Data | Date | Date | yyyy-mm-dd | Yes |
| 4 | 4 Hora Hora | | Time (BRT) | hh:mm:ss,sss | Yes |
| 5 | Descrição Sistema | System description | Text | - | Yes |
| 6 | Usuário Evento | User who made the administrative changes | Text | - | Yes |
| 7 | Evento | The event may consider: change of parameters, user management, blocking and unlocking passwords, etc. | Text | - | Yes |
| 8 | 8 Usuário If a user is added, changed or unblocked, please inform us. | | Text | - | Yes |
| 9 | Time Zone | Time zone of recorded time (GMT-3) | number | (e.g.: if it is GMT-3, fill it with -3, if it is GMT+0, fill it with 0, etc.) | Yes |

3.14.2 Scope Systems User Lists

<u>File description</u>: List of users for each system within the audit scope (Note: all systems must be included in a single file)

Objective: Conflict monitoring of access to systems, link and certification

File name: USUARIOS

Frequency: Quarterly

Scope: Photo on the base date of "D-1" at the end of the evaluated quarter

| Ref: | Field | Description | Type | Format | Mandatory? |
|------|------------------------|------------------|--------|---------------------|------------|
| 1 | Código Participante | Participant Code | Number | Without check digit | Yes |

BSM Supervisão de Mercados +55 11 2565-6200 Rua Líbero Badaró, 471, 1º, 2º e 3º andares Centro, CEP 01009-903 São Paulo (SP) www.bsmsupervisao.com.br



| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|----------------------------|---------------------------------------------------------------------------------------------|------|---------------------------------------|------------|
| 2 | Sistema | System name | Text | - | Yes |
| 3 | Usuário | Login registered in the system (****) | | | Yes |
| 4 | Nome | Name of the person to whom the user belongs | Text | • | Yes |
| 5 | Identificador (*) | Employee identifier (CPF (SSN) or Internal Institution ID) (****) | Text | Plain text without ".", "–" or "," | Yes |
| 6 | Status | Status of user tus interaction with the system Text Ativo / Inativo / Bloque | | Ativo / Inativo / Bloqueado | Yes |
| 7 | Perfil | Profile assigned to the system user (**) | Text | 1 | Yes |
| 8 | Permissão | Permissions assigned to the system user (**) | Text | 1 | No |
| 9 | Atividade crítica (***) | Critical activity ID corresponding to user permission. (e.g.: Inclusion of orders) | Text | See Table 1 below | Yes |
| 10 | Matriz | Inform if the conflicted activity is included at headquarters (*****) | Text | "Sim" or "Não" | No |

^(*) Data will be used to compare with the "identifier" field of the "List of Employees (Active, Terminated and Third Party)" layout. Therefore, the files must be filled with the same data;

headquarters.

(******) The changes in nomenclature, structure and/or filling of the fields proposed in this layout will be valid for deliveries made from January/2025. Deliveries to be made before January/2025 must follow the layout structure specified in version 2.1 of this manual.

| | Table 1 – Format and description of critical transactions | | | | | | |
|-------------------------------|-----------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|--|--|--|--|--|
| Critical Transaction ID | Process/ System | Critical activities | | | | | |
| CC1 | Customer base | Inclusion and maintenance of client registration data | | | | | |
| CS1 | Custody | Client custody transfer | | | | | |
| 01 | Orders | Inclusion, allocation, change and deletion of the client order register (post-trading) | | | | | |
| CCT1 | Current Account and Treasury | Inclusion and maintenance of financial values recorded in the clients' registration account (graphic account) | | | | | |

^(**) Field with multiple data: Insert a new row for each Profile or Permissions assigned to the system user, replicate the content without changing it to other columns and change only the field in question; and

^(***) The scope will be restricted to the Participants' internal systems that cover the critical transactions in Table 1.

(***) The generic user must also be included in the list and should be submitted with the Identifier of the responsible party. (*****) If the user has access to conflicting activities, inform whether these accesses are mapped in the segregations of duties



| | Table 1 – Format and description of critical transactions | | | | | | |
|-------------------------------|-----------------------------------------------------------|-----------------------------------------------------------------------------------------|--|--|--|--|--|
| Critical Transaction ID | Process/ System | Critical activities | | | | | |
| RPE1 | Pre-operating risk | Inclusion and change of clients' pre-operational limits (Pre Risk). | | | | | |
| RPO1 | Post-operational risk | Inclusion and change of parameters that make up clients' operational limits (Post Risk) | | | | | |
| NEG1 | Trading | Inclusion, change and cancellation of client orders | | | | | |
| CAN1 | Negotiation | Cancellation of clients offers | | | | | |
| ADM1 | All | Administrative activity | | | | | |
| SERV1 | All | Service Users | | | | | |

3.14.3 Trail of Records of Entry and Exit Access to Trading Platforms

File description: Logs of users entering and leaving the trading systems

Objective: Track health monitoring and trading session usage

File name: ENTRADAESAIDA

Frequency: On demand

| Ref: | Field Description | | Туре | Format | Mandatory? |
|------|--------------------------------------|--------------------------------------|---------------|-------------------------------------|------------|
| 1 | Código Participante Participant Code | | Number | Without check digit | Yes |
| 2 | Sistema | System name | Text | - | Yes |
| 3 | Usuário | User who performed the entry or exit | Text | - | Yes |
| 4 | Evento | Type of access (Input or Output) | Text | Options: "Entrada" or "Saída" | Yes |
| 5 | Data | Event date (Entry or Exit) | Date | yyyy-mm-dd | Yes |
| 6 | 6 Hora Event time (Entry or Exit) | | Time (BRT) | hh:mm:ss or hh:mm:ss,sss | Yes |
| 7 | Origem do acesso | IP, hostname, MAC Address, etc | Text | - | No |

3.14.4 List of Employees (Active, Terminated and Third Party)

<u>File description</u>: List of active and terminated employees and third parties of the Participant in the Listed segment

Objective: Monitoring the system access links

File name: COLABORADORES

Frequency: Quarterly

Scope: Photo on the base date of "D-1" at the end of the evaluated quarter

| Ref: | Field | Description | Туре | Format | Mandatory? |
|--------------------|-------------------------------------|-----------------------------------------------------------------------------|--------|----------------------------------------------|------------|
| 1 Código Participa | | Participant Code | Number | Without check digit | Yes |
| 2 | Nome | Name of employee, intern or third party | Text | - | Yes |
| 3 | Identificador (*) | Employee identifier (CPF (SSN) or Internal Institution ID) | Text | Plain text without ".", "–" or "," | Yes |
| 4 | Cargo | Position of the employee, intern or third party | Text | - | Yes |
| 5 | Departamento/ Centro de custo | Area of activity of the employee, intern or third party | Text | - | Yes |
| 6 | Status | Status of the employee, intern or third party | Text | Options: "Active", "Inactive", among others. | Yes |
| 7 | Data de Admissão | Date of admission of the employee, intern or third party | Date | yyyy-mm-dd | Yes |
| 8 | Data de desligamento | Date of dismissal of the employee, intern or third party | Date | yyyy-mm-dd | Yes (***) |
| 9 | ID_Certificação | Certificate indication (E.g Backoffice, registration, operator, etc.) | Text | See Table 1 | Yes (****) |
| 10 | Data da certificação | Certificate acquisition date | Date | yyyy-mm-dd | Yes (****) |
| 11 | Vencimento da certificação | Certificate expiration date | Date | yyyy-mm-dd | Yes (****) |
| 12 | E-mail | Employee e-mail | Text | - | Yes |

^(*) Data will be used to compare with the "identifier" field of the "List of Users of Systems within the Scope" layout. Therefore, the files must be filled with the same data;

^(**) If the employee has more than one certification, fill out one (1) certification per row in the available file.



(***) Required only if terminated during the analysis period.
(****) Required only if certified.
(*****) The changes in nonenclature, structure and/or filling of the fields proposed in this layout will be valid for deliveries made from January/2025. Deliveries to be made before January/2025 must follow the layout structure specified in version 2.1 of this manual.

| | Table 1 – Certifications format and descriptions | | | |
|----------------------|--------------------------------------------------|--------------------------------------------------------------------------------|--|--|
| Certification ID (*) | Certification Descriptiom | Certifications | | |
| | | Certificação PQO-B3 - Operações - Certificação | | |
| | | Certificação PQO-B3 - Operações - Recertificação | | |
| | | Ancord - Assessor de Investimentos | | |
| Α | Operations | Anbima - CPA 20 | | |
| | · | Anbima – CEA | | |
| | | CFP (Certified Financial Planner) | | |
| | | Programa Formação de Brokers nos Mercados – FIA, B3 e Ancord | | |
| | | Certificação PQO-B3 - Compliance - Certificação | | |
| В | Compliance | Certificação PQO-B3 - Compliance - Recertificação | | |
| | | Programa de Formação em Supervisão de Mercados – Ibmec | | |
| | | Certificação PQO-B3 - Risco - Certificação | | |
| | | Certificação PQO-B3 - Risco - Recertificação | | |
| С | Risk | PRM-IA (<i>Professional Risk Manager</i> – <i>International Association</i>) | | |
| | | GARP (Global Association of Risk Professionals) | | |
| | | FRM (Financial Risk Manager) | | |
| | | Certificação PQO-B3 - Comercial - Certificação | | |
| | | Certificação PQO-B3 - Comercial - Recertificação | | |
| D | Commercial | Ancord - Assessor de Investimentos | | |
| | | Anbima - CPA 20 | | |
| | | Anbima – CEA | | |
| | | Certificação PQO-B3 - Back Office - Certificação | | |
| E | Back Office | Certificação PQO-B3 - Back Office - Recertificação | | |
| | | Anbima – Certificação de Serviços Qualificados – Módulo 1 e 2 PQO | | |
| | | Certificação PQO-B3 - Back Office - Custódia - Certificação | | |
| | | Certificação PQO-B3 - Back Office - Custódia - Recertificação | | |
| F | Custody | Certificação PQO-B3 - Back Office - Certificação | | |
| | | Certificação PQO-B3 - Back Office - Recertificação | | |
| | | Anbima – Certificação de Serviços Qualificados – Módulo 1 PQO | | |
| | | Certificação PQO-B3 - Liquidação - Certificação | | |
| G | Liquidation | Certificação PQO-B3 - Liquidação - Recertificação | | |
| G | Liquidation | Certificação PQO-B3 - Back Office - Certificação | | |
| | | Certificação PQO-B3 - Back Office - Recertificação | | |

BSM Supervisão de Mercados +55 11 2565-6200 Rua Líbero Badaró, 471, 1º, 2º e 3º andares Centro, CEP 01009-903 São Paulo (SP) www.bsmsupervisao.com.br



| Table 1 – Certifications format and descriptions | | | |
|--------------------------------------------------|---|-------------------------------------------------------------|--|
| Certification ID Certification Certifications | | | |
| | | Certificação PQO-B3 - Back Office - Certificação | |
| н | | Certificação PQO-B3 - Back Office - Recertificação | |
| | J | Curso e Exame de Certificação do PQO – Cadastro de Clientes | |

3.15 Infrastructure Support

3.15.1 Voice Recording Inventory

File description: Voice Recording Inventory

Objective: Voice recorder inventory health monitoring

File in archive: INVENTARIOVOZ

Frequency: On demand

| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------|-------------------------------------------------|--------|-------------------------------------------------------------------------------------------|------------|
| 1 | Código Participante | Participant's code | Number | Without digit check | Yes |
| 2 | Sistema | Voice recording system name | Text | - | Yes |
| 3 | Código | Voice recording identifier code | Text | - | Yes |
| 4 | Origem | Telephone number from which the call originated | Text | - | Yes |
| 5 | Destino | Call destination phone number | Text | - | Yes |
| 6 | Data | Date of call | Date | yyyy-mm-dd | Yes |
| 7 | Hora início | Call start time | Time | hh:mm:ss or hh:mm:ss,sss | Yes |
| 8 | Hora Fim | Call end time | Time | hh:mm:ss or hh:mm:ss,sss | Yes |
| 9 | Time Zone | Time zone of recorded time (GMT-3) | number | (e.g.: if it is GMT-3, fill it with -3, if it is GMT+0, fill it with 0, etc.) | Yes |



File description: Extension list per Operator / Advisor

Objective: Voice Recorder Inventory Health Monitoring (Layout 3.15.1 Add-on)

<u>File in archive</u>: RAMAL <u>Frequency</u>: On demand

Scope: On demand

| | List of Extensions X Operator / Advisor | | | | |
|------|-----------------------------------------|--------------------------------------------|------|--------|------------|
| Ref: | Field | Description Extension X Operator / Advisor | Туре | Format | Mandatory? |
| 1 | Telefone | Operator/Advisor Telephone | Text | - | Yes |
| 2 | Ramal | Operator / Advisor Extension | Text | - | Yes |
| 3 | Operador / Assessor | Name of Operator / Advisor | Text | - | Yes |

Observation: Forward the data from this table on the same dates as the table above.

3.15.2 Records of Downtime of Order Recording Systems (Voice and Messaging)

<u>File description</u>: Records of downtime of order recording systems (voice and messaging)

Objective: Monitoring the record of unavailability in order recording systems

File in archive: INCIDENTES_CANAL

Frequency: On demand



| Ref: | Field | Description | Туре | Format | Mandatory? |
|------|------------------------|----------------------------------------------------------|---------------|-----------------------------|------------|
| 1 | Código Participante | Participant's code | Number | Without check digit | Yes |
| 2 | Sistema | Name of the order recording system (voice and messaging) | Text | - | Yes |
| 3 | Data início | Start date of unavailability | Date | yyyy-mm-dd | Yes |
| 4 | Data fim | End date of unavailability | Date | yyyy-mm-dd | Yes |
| 5 | Hora início | Outage start time | Time (BRT) | hh:mm:ss or hh:mm:ss,sss | Yes |
| 6 | Hora fim | Downtime end time | Time (BRT) | hh:mm:ss or hh:mm:ss,sss | Yes |
| 7 | Descrição | Description of the downtime incident | Text | - | Yes |

4. Contacts at BSM

Additional clarifications related to filling out the files or submitting the documents can be obtained from the BSM Audit Superintendence by email bsm@bsmsupervisao.com.br or telephone 55 (11) 2565-6200, option 3.



5. Appendix

Appendix I – Applicable Processes to Listed Participants by Type of Access of Organized Markets Administered by B3

a) Applicable layouts to PN and PNP

The applicability of the processes/layouts may be variable due to the operational model of the Participant

| Process | Database or Audit Trails | Files |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------------------------|
| | Activation of Educational Triggers | ACIONAMENTOGE |
| | Submission of Educational Material | ENVIOMTE |
| Retail Liquidity Provider (RLP) | Minimum Margin Parameterization Trail | MARGEM |
| | Opt-in and Opt-out | OPTIN_OPTOUT |
| | List of Clients adhering to the use of RLP | BASEOPTIN |
| | Suitability Questionnaire Questions and Answers | QUESTIONARIO_SUITABILITY |
| | Suitability Questionnaire Score | PONTUACAO_SUITABILITY |
| Suitability | Suitability Questionnaire Profile | PERFIL_SUITABILITY |
| Suitability | Client Investment Profile Base | TRILHA_SUITABILITY. |
| | Products Offered by Investment Profile | PRODUTOSSU |
| | Risk term for non-compliant operations | DESENQUAD |
| | Risk Term Content | TERMORISC |
| | Communications to clients | LCALERTAS |
| | Blocking and Unblocking for the Client's Compulsory Liquidation | LCBLOQUEIO |
| Compulsory Liquidation | Guarantee Allocation | LCALOCGARANTIAS |
| | Position Control | LCCONTROLE |
| | Compulsory Liquidation | LCZERAGEM |
| | Compulsory Liquidation Parameterizations | PARAMETROLIQ |
| Anti-Money Laundering, Combating the Financing of Terrorism and the Financing of the Proliferation of | Alerts and Records of AML/CFT Alert Analysis Conclusions | REGISTRO_ALERTASPLD |
| Weapons of Mass Destruction ("AML/CFT") | Clients with changes in risk profiles | ALTPERFIL |
| Supervision of Operations and Orders | Alerts and Record of Completed Analysis of Operations and Orders Supervision Alerts | REGISTRO_ALERTASSOO |
| Manage Custody | Custody Transfer Request made by the Client | TRANSFCUST |



| Process | Database or Audit Trails | Files |
|-------------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------|
| | Statement of clients' current account | GAB800 or EXTRATOCC |
| Settle Trade | Projected Balance According to Operations Performed | GAB807 or EXTRATOSP |
| Octue Trade | Trades and cost of broker | GAB107 (for Sinacor) ou |
| | note – Equities | EXTRATOCCB |
| | Trades and cost of broker note – Derivatives | GAB119 (for Sinacor) ou EXTRATOCCF |
| Investment Advisors (Al's) | Non-exclusive Investment Advisor | AINAOEXC |
| investment / tevicore (/ tro) | Clients Served by the Investment Advisors (Al's) | AICLI |
| | Client Registration Data, including indication of Related Persons and Qualified Investors | DADCAD |
| | Attorney-in-fact | PROCURADOR |
| | Controller | DADOSCONTROLADOR |
| | Administrator | ADMINISTRADOR |
| Client Registration | Parent Company | CONTROLADORA |
| J | Subsidiary | ENTIDADECONTROLADA |
| | Affiliate | COLIGADA |
| | INR Data | DADOSINR |
| | List of Related Persons | PEVINC |
| | Risk Level for Registrarion Update | MAXICAD |
| | Authorized Issuers | EMISSORAUT |
| | Joining to the Margin Account Product | CMADESAO |
| | Clients who Operate Margin Accounts | CMOPER |
| Margin Account | List of financing and guarantees for clients who operated on the margin account | CMFINGAR |
| | Operations carried out through a Margin Account | CTAMARGEM |
| | List of Account Codes by Category | EOCODCONT |
| | Portfolios managed by the Participant | CICARTGER |
| Execute Orders | Inclusion, change and cancellation of orders trail | ORDENS |
| | Order Summary Trail | RESUORD |
| | Session Purpose | FINASESSAO |
| | Record of occurrence of operations recorded in the Operational Error Account | LANCERRO |
| Marray Di I | Pre-Operational Risk – Inclusion and Change of Limits | RISCOPRE |
| Manage Risks | Post-Operational Risk – Inclusion and Change of Limits | RISCOPOS |



| Process | Database or Audit Trails | Files |
|--------------------------|-------------------------------------------------------------------------------------------|-----------------------|
| Treasury/Current Account | Inclusion and Maintenance of Financial Values Manually Entered into Client Accounts | LANCMANC |
| | Administrative Activities in Systems | ADMINSIST |
| | User lists of the scoped systems | USUARIOS |
| Information Security | Trail of Records of Entry and Exit Access to Trading Platforms | ENTRADAESAIDA |
| | List of Employees (Active, Terminated and Third Party) | COLABORADORES |
| | Voice Recording Inventory | INVENTARIOVOZ / RAMAL |
| Infrastructure Support | Records of Downtime of Order Recording Systems (Voice and Messaging) | INCIDENTES_CANAL |

b) Applicable layouts to Custodian

The applicability of the processes/layouts may be variable due to the operational model of the Participant

| Process | Database or Audit Trails | Files |
|-----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|--------------------------|
| Anti-Money Laundering, Combating the Financing of Terrorism and the Financing of the Proliferation of Weapons of Mass | Alerts and Records of AML/CFT Alert Analysis Conclusions | REGISTRO_ALERTASPLD |
| Destruction ("AML/CFT") | Clients with changes in risk profiles | ALTPERFIL |
| Manage Custody | Custody Transfer Request made by the Client | TRANSFCUST |
| | Client Registration Data, including indication of Related Persons and Qualified Investors | DADCAD |
| | Attorney-in-fact | PROCURADOR |
| | Controller | DADOSCONTROLADOR |
| Client Registration | Administrator | ADMINISTRADOR |
| | Parent Company | CONTROLADORA |
| | Subsidiary | ENTIDADECONTROLADA |
| | Affiliate | COLIGADA |
| | INR Data | DADOSINR |
| | Risk Level for Registrarion Update | MAXICAD |
| | Administrative Activities in Systems | ADMINSIST |
| Information Security | User lists of the scoped systems | USUARIOS |
| | List of Employees (Active, Terminated and Third Party) | COLABORADORES |
| Infrastructure Support | Voice Recording Inventory | INVENTARIOVOZ / RAMAL |



| Process | Database or Audit Trails | Files |
|---------|----------------------------------------------------------------------------|------------------|
| | Records of Downtime of Order Recording Systems (Voice and Messaging) | INCIDENTES_CANAL |

c) Applicable layouts to INR Custodian

The applicability of the processes/layouts may be variable due to the operational model of the Participant.

| Process | Database or Audit Trails | Files |
|---------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------------|
| Anti-Money Laundering, Combating the Financing of Terrorism and the | Alerts and Records of AML/CFT Alert Analysis Conclusions | REGISTRO_ALERTASPLD |
| Financing of the Proliferation of Weapons of Mass Destruction ("AML/CFT") | Clients with changes in risk profiles | ALTPERFIL |
| Manage Custody | Custody Transfer Request made by the Client | TRANSFCUST |
| Client Registration | Client Registration Data, including indication of Related Persons and Qualified Investors | DADCAD |
| | Attorney-in-fact | PROCURADOR (*) |
| | INR Data | DADOSINR |
| | Risk Level for Registrarion Update | MAXICAD |
| | Administrative Activities in Systems | ADMINSIST |
| Information Security | User lists of the scoped systems | USUARIOS |
| | List of Employees (Active, Terminated and Third Party) | COLABORADORES |
| | Voice Recording Inventory | INVENTARIOVOZ/RAMAL (**) |
| Infrastructure Support | Records of Downtime of Order Recording Systems (Voice and Messaging) | INCIDENTES_CANAL (**) |

d) Applicable layouts to Liquidation Participants

The applicability of the processes/layouts may be variable due to the operational model of the Participant.

^(*) Applicable individual person (**) It may become applicable if there is a request for transfer of custody via telephone.



| Process | Database or Audit Trails | Files |
|-----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------|
| Anti-Money Laundering, Combating the Financing of Terrorism and the Financing of the Proliferation of Weapons of Mass | Alerts and Records of AML/CFT Alert Analysis Conclusions | REGISTRO_ALERTASPLD |
| Destruction ("AML/CFT") | Clients with changes in risk profiles | ALTPERFIL |
| Supervision of Operations and Orders | Alerts and Record of Completed Analysis of Operations and Orders Supervision Alerts | REGISTRO_ALERTASSOO |
| | Statement of clients' current account | GAB800 or EXTRATOCC |
| Settle Trade | Projected Balance According to Operations Performed | GAB807 or EXTRATOSP |
| Sould Hade | Trades and cost of broker note – Equities | GAB107 (for Sinacor) or EXTRATOCCB |
| | Trades and cost of broker note – Derivatives | GAB119 (for Sinacor) or EXTRATOCCF |
| | Client Registration Data, including indication of Related Persons and Qualified Investors | DADCAD |
| | Attorney-in-fact | PROCURADOR |
| | Controller | DADOSCONTROLADOR |
| Client Registration | Administrator | ADMINISTRADOR |
| | Parent Company | CONTROLADORA |
| | Subsidiary | ENTIDADECONTROLADA |
| | Affiliate | COLIGADA |
| | INR Data | DADOSINR |
| | Risk Level for Registration Update | MAXICAD |
| Manage Risks | Pre-Operational Risk – Inclusion and Change of Limits | RISCOPRE |
| ivialiage Risks | Post-Operational Risk – Inclusion and Change of Limits | RISCOPOS |
| | Administrative Activities in Systems | ADMINSIST |
| Information Security | User lists of the scoped systems | USUARIOS |
| | List of Employees (Active, Terminated and Third Party) | COLABORADORES |
| | Voice Recording Inventory | INVENTARIOVOZ / RAMAL |
| Infrastructure Support | Records of Downtime of Order Recording Systems (Voice and Messaging) | INCIDENTES_CANAL |

e) Applicable layouts for Clearing Member

The applicability of the processes/layouts may be variable due to the operational model of the Participant



| Process | Database or Audit Trails | Files | |
|---------------------------|----------------------------------------------------------------------|---------------------------------------|--|
| Settle Trade | Statement of clients' current account | GAB800 or EXTRATOCC | |
| | Projected Balance According to Operations Performed | GAB807 or EXTRATOSP | |
| | Trades and cost of broker note – Equities | GAB107 (for Sinacor) ou EXTRATOCCB | |
| | Trades and cost of broker note – Derivatives | GAB119 (for Sinacor) ou EXTRATOCCF | |
| Manage Risks | Pre-Operational Risk – Inclusion and Change of Limits | RISCOPRE | |
| | Post-Operational Risk – Inclusion and Change of Limits | RISCOPOS | |
| | Administrative Activities in Systems | ADMINSIST | |
| Information Security | User lists of the scoped systems | USUARIOS | |
| | List of Employees (Active, Terminated and Third Party) | COLABORADORES | |
| Infrastructure Support | Voice Recording Inventory | INVENTARIOVOZ / RAMAL | |
| | Records of Downtime of Order Recording Systems (Voice and Messaging) | INCIDENTES_CANAL | |

Anexo II - List of Tests Performed by Layouts

| File | Layout | Frequency | Test Code | Test | |
|--------------------------|-----------------|-----------|------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--|
| ACIONAMENTOGE | 3.1.1 | Monthly | T1 | Activation and sending of the educational | |
| ENVIOMTE | 3.1.2 | Monthly | | material | |
| MARGEM | 3.1.3 | Monthly | T2 | Minimum Margin Parameterization | |
| OPTIN_OPTOUT | 3.1.4 | Quarterly | - T3 | Sending of orders before opt-in and after | |
| BASEOPTIN | 3.1.5 | Quarterly | 13 | opt-out | |
| QUESTIONARIO_SUITABILITY | 3.2.1 | Quarterly | | Monitoring of the attribution of the | |
| PONTUACAO_SUITABILITY | 3.2.2 | Quarterly | T4 | investment profile according to the questionnaire defined by the Participant | |
| PERFIL_SUITABILITY | 3.2.3 | Quarterly | | questionnaire defined by the Fartisipant | |
| TRILHA_SUITABILITY. | 3.2.4 | Quarterly | Т5 | Monitoring of the investment profile assigned to clients | |
| PRODUTOSSU | 3.2.5 | Quarterly | Т6 | Monitoring products offered to clients who are not part of the investment profile | |
| LCZERAGEM_AAAA-MM-DD | 3.3.5 | Bimonthly | Т7 | Monitoring of settlement according to the rules defined by the Participant | |
| REGISTRO_ALERTASPLD | 3.4.1 Bimonthly | Т8 | Monitoring of generated analyses and the deadline for the conclusions of the analyses after triggering the alert ("AML/CFT") | | |
| | | | Т9 | Monitoring of the Communication of the analyses to the COAF over 24 hours | |



| File | Layout | Frequency | Test Code | Test | |
|---------------------|--------|-----------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| ALTPERFIL | 3.4.2 | Bimonthly | T10 | Continual monitoring of the clients' risk profile | |
| REGISTRO_ALERTASSOO | 3.5.1 | Bimonthly | T11 | Monitoring of the analyses generated and the deadline for the conclusions of the analyses after the alert (SOO) | |
| TRANSFCUST | 3.6.1 | Bimonthly | T12 | Ensure that the transfers were completed in accordance with regulatory deadlines | |
| GAB800 ou EXTRATOCC | 3.7.1 | Quarterly | T13 | Monitoring of clients' debit balance | |
| GAB807 ou EXTRATOSP | 3.7.2 | Quarterly | T14 | Monitoring clients' balance | |
| AINAOEXC | 3.8.1 | Monthly | T15 | Monitoring of related persons operations | |
| PEVINC | 3.9.9 | Monthly | 113 | Monitoring of related persons operations | |
| | | Monthly | T16 | Conciliation of information from persons linked to SINCAD | |
| PEVINC | 3.9.9 | Monthly | T17 | Execution of transactions by related persons without identification of the final client in the offers transmitted to the trading system or re-specification of transactions by related person | |
| DADCAD | 3.9.1 | Quarterly | T18 | Operations of persons prohibited by the CVM, as made available on the regulator's website | |
| DADCAD | 3.9.1 | Quarterly | | | |
| PROCURADOR | 3.9.2 | Quarterly | T19 | Monitoring the completeness of registration data between the systems of the participant versus system of B3 (Sincad) | |
| CONTROLADOR | 3.9.3 | Quarterly | | | |
| ADMINISTRADOR | 3.9.4 | Quarterly | | | |
| CONTROLADORA | 3.9.5 | Quarterly | | | |
| CONTROLADA | 3.9.6 | Quarterly | | | |
| COLIGADA | 3.9.7 | Quarterly | | | |
| DADOSINR | 3.9.8 | Quarterly | | | |
| MAXICAD | 3.9.10 | Quarterly | | | |
| EMISSORAUT | 3.9.11 | Quarterly | T20 | Monitoring authorized issuers who issue orders on behalf of clients | |
| DADCAD | 3.9.1 | Quarterly | T04 | Monitoring of clients who have operated | |
| MAXICAD | 3.9.10 | Quarterly | T21 | with outdated registration, according to the Participant's Risk Rating Policy (ABR) | |
| CMADESAO | 3.10.1 | Quarterly | T22 | Monitoring of adherence to the Product Margin Account | |
| CMOPER | 3.10.2 | Quarterly | T23 | Monitoring operations with the Product Margin Account | |
| CMFINGAR | 3.10.3 | Quarterly | T24 | Monitoring of assets financed and those used as guarantee, with use of the margin account. | |
| CTAMARGEM | 3.10.4 | Quarterly | T25 | Monitoring of assets financed and used as guarantee | |

BSM Supervisão de Mercados +55 11 2565-6200 Rua Líbero Badaró, 471, 1º, 2º e 3º andares Centro, CEP 01009-903 São Paulo (SP) www.bsmsupervisao.com.br



| File | Layout | Frequency | Test Code | Test |
|---------------------|---------------------------|-----------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| | 3.11.4 | Quarterly | T26 | Analysis of the correct use of trading sessions |
| RESUORD_AAAA-MM-DD | | | T27 | Evaluation of the origin of the offers (restricted to institutions that work with clients (i) Individuals; and (ii) Non-Financial |
| FINASESSAO | 3.11.5 | Quarterly | | Entities) |
| RISCOPOS | 3.12.2 | Quarterly | T28 | Monitoring of the activities performed by certified professionals |
| USUARIOS | 3.14.2 | Quarterly | T29 | Users who do not have a link |
| COLABORADORES | 3.14.4 | Quarterly | 129 | Osers who do not have a link |
| USUARIOS | 3.14.2 | Quarterly | T30 | Resigned users witch active access |
| COLABORADORES | 3.14.4 | Quarterly | 130 | Resigned users witch active access |
| USUARIOS | 3.14.2 | Quarterly | T31 | Users with conflicted accesses |
| COLABORADORES | 3.14.4 | Quarterly | 131 | Osers with conflicted accesses |
| USUARIOS | 3.14.2 | Quarterly | T32 | Users with critical access without proper |
| COLABORADORES | 3.14.4 | Quarterly | 132 | certification |
| USUARIOS | 3.14.2 | Quarterly | T33 | Users with critical accesses with expired |
| COLABORADORES | 3.14.4 | Quarterly | 133 | certification |
| OPTIN_OPTOUT | 3.1.4 | Quarterly | | |
| BASEOPTIN | BASEOPTIN 3.1.5 Quarterly | | T34 | Adequacy of the investment profile to the |
| TRILHA_SUITABILITY. | 3.2.4 | Quarterly | 134 | traded product |
| PRODUTOSSU | 3.2.5 | Quarterly | | |



Version history

| Version | Modified Item | Reason | Date |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|------------|
| 1.0 | Original version | N/A | 05/23/2023 |
| 2.0 | Add and Adjust Layout, Discard Information, Meet Delivery Deadlines, Description of Layout Objectives. | First Manual revision | 11/13/2023 |
| 2.1 | Main changes: Scope period of the file layouts related to: (i) Anti-Money Laundering, Combating the Financing of Terrorism and the Financing of the Proliferation of Weapons of Mass Destruction (PLD/FTP), (ii) Supervision of Operations and Orders (SOO); and (iii) Risk Management; Scope of the file layout related to the Summary Trail of Orders; Processes applicable to the Listed Participants by type of access to the organized markets administered by B3; Descriptions, mandatory nature, and review of the layout fields; and Procedure for the advanced testing of layout formatting. | Second revision of the Manual | 04/30/2024 |
| 2.2 | Main changes: Description of the new tests to be performed with existing layouts: (i) Suitability - adequacy of the investment profile for Participants offering RLP to their clients; (ii) Related Person - conciliation of information of linked persons with SINCAD; (iii) Related Person - execution of transactions by related persons without identification of the final client in the offers transmitted to the trading system or re-specification of transactions by related persons; (iv) Related Person - operations of persons prohibited by the CVM as available on the regulator's website; (v) Orders Trails - Analysis of the correct use of trading sessions; and (vii) Orders Trails - avaliação da origem das ofertas. Descriptions, mandatory elements and revision of the layout fields; Appendix detailing the following: (i) the processes applicable to Listed Market Participants by type of access to the organized markets administered by B3; (ii) the layout delivery schedule in 2024; and (iii) the tests to be performed by layouts. | Third revision of the Manual | 10/21/2024 |
| 2.3 | Main changes Descriptions, mandatory elements and revision of the layout fields. Storage of Test Results for regular auditing. | Fourth revision of the Manual | XX/XX/XXXX |